Sociological Methodology

Network Sampling with Memory : A Proposal for More Efficient Sampling from Social Networks

Ted Mouw and Ashton M. Verderv Sociological Methodology 2012 42: 206 DOI: 10.1177/0081175012461248

The online version of this article can be found at: http://smx.sagepub.com/content/42/1/206

> Published by: **SAGE** http://www.sagepublications.com

> > On behalf of:



Additional services and information for Sociological Methodology can be found at:

Email Alerts: http://smx.sagepub.com/cgi/alerts

Subscriptions: http://smx.sagepub.com/subscriptions

Reprints: http://www.sagepub.com/journalsReprints.nav

Permissions: http://www.sagepub.com/journalsPermissions.nav

>> Version of Record - Nov 21, 2012

What is This?





Network Sampling with Memory: A Proposal for More Efficient Sampling from Social Networks

Sociological Methodology Volume 42, 206–256 © American Sociological Association 2012 DOI: 10.1177/0081175012461248 http://sm.sagepub.com



Ted Mouw¹ and Ashton M. Verdery¹

Abstract

Techniques for sampling from networks have grown into an important area of research across several fields. For sociologists, the possibility of sampling from a network is appealing for two reasons: (1) A network sample can yield substantively interesting data about network structures and social interactions, and (2) it is useful in situations in which study populations are difficult or impossible to survey with traditional sampling approaches because of the lack of a sampling frame. Despite its appeal, methodological concerns about the precision and accuracy of network-based sampling methods remain. In particular, recent research has shown that sampling from a network using a random walk-based approach such as respondent-driven sampling (RDS) can result in a high design effect (DE): the ratio of the sampling variance to the sampling variance of simple random sampling (SRS). A high DE means that more cases must be collected to achieve the same level of precision as SRS. In this article, we propose an alternative strategy, network sampling with memory (NSM), which collects network data from respondents to reduce DEs and, correspondingly, the number of interviews needed to achieve a given level of statistical power. NSM combines a "list" mode, in which all individuals on the revealed network list are sampled with the same cumulative probability, with a "search" mode, which gives priority to bridge nodes connecting the current sample to unexplored parts of the network. We test the relative efficiency of NSM compared with RDS and SRS on 162 school and university networks from the National Longitudinal Study of Adolescent Health and Facebook that range in size from 110 to 16,278 nodes. The results show that the average DE for

¹University of North Carolina at Chapel Hill, USA

Corresponding Author: Ted Mouw, University of North Carolina at Chapel Hill, Department of Sociology, CB #3210, 155 Hamilton Hall, Chapel Hill, NC 27599-3210, USA Email: tedmouw@email.unc.edu NSM on these 162 networks is 1.16, which is very close to the efficiency of a simple random sample (DE = 1) and 98.5 percent lower than the average DE we observed for RDS.

Keywords

Social networks, sampling, respondent driven sampling, hidden populations, random walks, graph theory

I. INTRODUCTION

The prospect of sampling from social networks has long intrigued social scientists (cf. Goodman 1961). To fix terms, we define a sample from a social network as one in which current respondents help recruit new respondents through either active (when respondents "drive" recruitment by bringing in new subjects) or passive (when they facilitate contact between researchers and would-be subjects) means.¹ Such an approach is a special case of a "link-tracing" sampling design that can be applied to sampling from any relational network, social or otherwise. For sociologists, the motivation to sample from social networks comes from three sources: (1) a generally accepted belief that respondents, even stigmatized ones, are more likely to participate and respond truthfully in surveys when they are referred by acquaintances or friends rather than randomly contacted; (2) an increasing desire to understand relational network structures and a growing body of theory suggesting the importance of social influence; and (3) heightened interest in understanding stigmatized populations (such as those at risk for human immunodeficiency virus [HIV] infection) that are difficult to survey with traditional methods. Although it was long thought that samples from networks could not yield unbiased results, work in graph theory on the logic of random walks (RWs) on graphs, which have been widely studied in the mathematics, physics, and computer science literatures (cf. Lovasz 1993), has shown that unbiased mean estimates are attainable. A basic finding is that under certain conditions, if the RW proceeds long enough, it will eventually settle into an equilibrium state in which the sampling probability is inversely proportional to the respondent's number of social ties (Lawler and Coyle 1999), which can be used as a weight to accurately estimate sample means and proportions (Volz and Heckathorn 2008). Overall, the potential appeal of link-tracing sampling methods should be growing in the current research climate as a result of declining survey participation rates and the challenge of contacting willing participants (Atrostic et al. 2001), because of increased interest in social network effects and peer influence (e.g., Burt 1984), and because of increased funding for studying marginalized groups, such as those at risk for HIV transmission.

Some of the best evidence for the effectiveness of link tracing-based sampling methods in human social networks comes from work on stigmatized, hidden, and hard-to-reach populations, which have historically been understudied because of the challenge of recruiting them. A recently developed RW-based approach,

"respondent-driven sampling" (RDS), collects data on the number of ties each respondent has (Heckathorn 1997; Johnston 2008; Volz and Heckathorn 2008; cf. Gile and Handcock 2010 for a recent summary of this approach). Under certain conditions—in particular, a connected component with at least one triangle and undirected ties (i.e., everyone in the population is reachable through some chain of connections from everyone else, there is at least one group of three people who are all connected to each other, and all ties are reciprocated), a sufficiently long chain of referrals, sampling with replacement, and a large study population—the probability of being sampled is proportional to the number of ties that each respondent has. As a result, the inverse of the self-reported number of ties can be used as a sampling weight. Because of the attractiveness of its hypothetical sampling properties, the RDS approach has been widely used by researchers to study hidden populations such as intravenous drug users, undocumented immigrants, jazz musicians, and so on (cf. reviews by Abdul-Quader et al. 2006; Ramirez-Valles et al. 2005).

Despite the popularity of RDS, recent research indicates that the accuracy of the approach is sensitive to the assumptions it makes about the social network of the underlying population (Gile and Handcock 2010; Goel and Salganik 2010; Lu et al. 2012). A fundamental problem with RW-based approaches in general, and RDS in particular, is that they have a higher sampling variance than simple random sampling (SRS). Whereas the sampling variance of a simple random sample is inversely related to sample size, the precision of RDS and RWs is a function of both sample size and the structure of the network: Bassetti and Diaconis (2006) and Goel and Salganik (2009) showed that the variance of an RW is mathematically related to the eigenvalue decomposition of the network (i.e., its underlying structure) and the degree to which the dependent variable maps onto the corresponding eigenvectors. In networks with high degrees of clustering, RDS has a tendency to get stuck in segregated components of the network, which can result in inaccurate samples. In certain networks, the variance of a respondent-driven sample could be unacceptably high, but the researcher, with no knowledge of the network that he or she was sampling from, would be unable to distinguish between accurate or inaccurate results. Given this fundamental uncertainty, the ability to infer population-level prevalence from random walk-based samples is questionable. Indeed, Goel and Salganik (2010) found very high levels of sampling variance for RDS in simulated sampling using real network data.

In this article, we propose a new approach, "network sampling with memory" (NSM), which builds on recent developments in the mathematics and computer science literatures on sampling large networks that modify the basic random-walk approach by incorporating information on the local topography of the network, information on recently sampled cases, or multiple dependent RWs to improve sampling efficiency (Alon et al. 2008; Avin and Krishnamachari 2008; Berenbrink et al. 2010; Cooper, Frieze, and Radzik 2009; Ikeda, Kubo and Yamashita 2009; Kharusi 2008; Ribeiro and Towsley 2010). As we discuss in this article, NSM improves the efficiency of sampling from a network by collecting network data from respondents as part of the survey, which is used to gradually reveal the list of population members. As the sample progresses, the list of people who have been nominated in the survey

begins to resemble the full list of population members, which allows NSM to approximate the process of SRS.

NSM samples from the network list by using two modes of sampling, a "list" mode and a "search" mode. The list mode is very simple: The next person to be interviewed is selected by sampling with replacement from the list of all people who have been nominated. When a new person is added to the list (i.e., when someone is nominated for the first time), he or she is sampled at the current cumulative sampling rate (CSR, defined below) of the sample to ensure that all individuals who have been nominated have the same probability of being sampled (otherwise, cases that were sampled first would be overrepresented).

The search mode attempts to speed up the process of exploring large or complicated networks by identifying respondents who appear to be "bridge nodes" to unexplored clusters of the network. We define bridge nodes as respondents who have high proportions of friends who have not been nominated by anyone else in the sample collected up until that point. The search mode gives priority to the unsampled friends of these bridge nodes, which pushes the sample toward new and unexplored regions of the network. NSM combines the search and list modes together, using the search mode first until the network has been explored and then switching over to the list mode.

In the analysis section of this article, we test the relative precision and accuracy of NSM compared with RDS and RWs by conducting simulated sampling on 162 actual social networks, 62 school networks from the National Longitudinal Study of Adolescent Health (Add Health) and 100 large university networks from Facebook. The results indicate that NSM results in high levels of sampling precision (with sampling variances close to those of SRS), even on networks characterized by high degrees of clustering and homophily. Overall, we argue that NSM will prove useful for researchers in a variety of fields in which collecting network data on social interaction is substantively interesting and in which it is desirable to use the network data to improve the efficiency and precision of the sampling process.

2. BACKGROUND

2.1 Referral-based Sampling of Hidden Populations

Hidden populations are an important area of study for understanding sociological topics such as the dynamics of disease transmission, immigration, the underground economy, and homelessness. They are also a prime area for referral-based sampling approaches because they are demonstrably challenging to survey with other sampling approaches (Kendall et al. 2008). Recently, the use of referral-based sampling methods in the study of hidden populations has been accompanied by important theoretical and statistical developments (Heckathorn 1997, 2002, 2007; Magnani et al. 2005; McKnight et al. 2006; Salganik and Heckathorn 2004). The key innovation, RDS, builds on the idea of taking a "random walk" on a network and has two properties that make it useful for sampling hidden populations. The first has to do with the recruitment process. In RDS, respondents are paid for their participation in the study

and incentivized to recruit others. Such incentives take the form of coupons, a fixed number of which are given to members of the current wave of respondents. New respondents must present coupons obtained from prior respondents to enter the study. The use of coupons allows the tracking of recruitment chains, the payment of respondents for recruiting new members, and the maintenance of a high degree of confidentiality with minimal risk for participants and researchers (Yeka et al. 2006).

The second important property of RDS for sampling purposes is a statistical innovation. Respondents are asked to estimate how many people they know in the hidden population, and the inverse of each person's estimate is then used as a sampling weight. It has been shown (Goel and Salganik 2009; Salganik and Heckathorn 2004; Volz and Heckathorn 2008) that such weighting is a mathematically appropriate technique for characterizing recruitment probabilities in a sample from a network if respondents are able to estimate their popularity with reasonable accuracy (cf. Neely 2009 for how errors in this estimation influence RDS estimates).

RDS has become quite popular: Johnston et al. (2006) cited 128 applications in countries outside of the United States, and the Centers for Disease Control and Prevention have adopted the method on a large scale to understand the dynamics of HIV in the American injection drug user community (Abdul-Quader et al. 2006). As a measure of the level of endorsement of RDS by funding agencies, a search of recent National Institutes of Health grants indicates that at least \$100 million in funding has been awarded to projects with "respondent driven sampling" and its variants in the keywords (National Institutes of Health 2011). Overall, the recent popularity of RDS has made it the "gold standard" against which competing proposals to understand hidden and hard to reach populations (e.g., time-location sampling, targeted sampling) are evaluated.

However, although methods to sample hidden and hard-to-reach populations have overcome many of the challenges facing referral-based sampling, they have generated a new set of criticisms. Most critiques have focused on the unrealistic nature of the method's assumptions (Gile and Handcock 2010; Goel and Salganik 2009), though new approaches show that modifications to the method can make it less dependent on some of these (e.g., Gile 2011; Neely 2009). Although these are important problems, the most damaging critique is that the method is highly ineffective, even when assumptions are met. The problem is that referral-based approaches, although providing unbiased mean estimates, yield far more variable results than traditional survey sampling (Goel and Salganik 2009). This necessitates collecting larger sample sizes with referral-based sampling than would be needed from random sampling to maintain the same level of statistical power. Perhaps the most important evidence of this effect comes from an innovative study that simulated respondent-driven samples on real-world social networks (Goel and Salganik 2010). There, the authors found that results from RDS were up to 70 times more variable than would be found had comparably sized simple random samples been taken (also see Lu et al. 2012). Such simulation evidence accords with other studies. For instance, repeated respondent-driven samples of the same population have shown substantial variability in socially salient traits (Ma et al. 2007), and the confidence intervals of respondent-driven samples from known populations do not always not contain the true population values and can often be too wide to be of use (Wejnert 2009; Wejnert and Heckathorn 2008; see discussion in Goel and Salganik 2010). Of course, a large number of surveys conducted by those with deep familiarity with the populations at hand have found that RDS results are often quite reasonable (cf. Malekinejad et al. 2008). However, as demonstrated by the simulation studies, there is the danger that any given RDS estimates may be far from the true population value.

2.2 Network-based Sampling in Nonhuman Populations

Other fields have also been active in developing new network-based sampling methods. As mentioned above, a large literature has focused on the properties of RWs on graphs. Bassetti and Diaconis (2006) derived the variance of an RW on the basis of a spectral decomposition of the network structure, and Goel and Salganik (2009) related this to the variance of RDS estimates. More generally, this literature (cf. Lovasz 1993 for a review) is focused on the mixing time (the number of steps until the sampling probabilities converge) and cover time (the time needed until all nodes are sampled) of RWs on graphs. There is a direct connection between the accuracy of a sample derived from an RW and the mixing and cover time, because the more steps that are needed, on average, to reach the equilibrium sampling distribution or to sample all of the cases, the less accurate that any given size sample will be compared with SRS. In computer science, a rapidly expanding literature focuses on practical aspects of improving the speed and accuracy of RWs to sample from the Internet, but other examples include sampling from electrical networks and map exploration (e.g., Gasieniec and Radzik 2008).

Avin and Krishnamachari (2008) proposed a modification to the random-walk strategy in which, at each step, neighbors of the current node are queried, and the one with the fewest visits from the RW is selected as the next step. At each step, this pushes the RW back to nodes whose neighbors are least likely to have been explored. In a related approach, Berenbrink et al. (2010) and Yu and Newman (2008) allow the RW to explore the network in the vicinity of the current case before taking the next step. This collection of local information helps the walker know whether it is in a well-explored cluster or a new area. Alternatively, one can use multiple networks derived from the multiplex connections that link people to move between different parts of the network: Gjoka et al. (2010) showed that problems of sampling between segregated or disconnected components of large online social networks can be reduced by using multiple types of connections between users (i.e., group or event participation), even if there is no sample frame. If there is some means of obtaining a list of nodes in the network, Thompson (2006), Ribeiro, Wang, and Towsley (2010), and Avrachenkov, Ribeiro, and Towsley (2010) proposed an adaptive RW, whereby an RW is supplemented by periodic jumps to randomly selected parts of the network; a similar method was pioneered by Google to rank Web pages (Brin and Page 1998). Such approaches have been shown to reduce the number of cases needed to sample the network effectively.

A simple modification of the basic RW is to provide a temporary restriction on nodes that can be visited. Kharusi (2008) proposed an RW with memory—a "forward RW"—on the basis of preventing the walk from returning to the k most recently visited cases and found that cover times decreased dramatically compared with simple RWs in networks with high diameter (the distance between the most separated nodes of the network). Similarly, Alon et al. (2007) found an improvement in the mixing rate by not allowing the walk to go back to the most recently sampled case.

A slightly different approach uses information about a node's neighbors to tilt the selection probabilities in favor of visiting certain types of nodes. Ikeda et al. (2003, 2009) showed that the cover time of an RW can be reduced by modifying the transition matrix to oversample low-degree neighbors of the current node. Ikeda et al. (2009), for example, showed that under certain conditions, the cover time for an RW can be reduced from $O(G^3)$ to $O(G^2)$ (where G is the number of nodes in the network) by using a biased transition matrix that weights the probability of selection of a node proportional to the inverse square root of its degree.

Finally, an alternative approach is to use multiple independent RWs rather than a single RW. In human populations, this is roughly comparable with starting RWs from multiple seeds. The use of multiple RWs has been found to reduce cover times (Alon et al., 2008; Cooper et al. 2009; Elasser and Sauerwald 2010), but it is still possible for each individual RW to get stuck in subgraphs of the overall network. Ribeiro and Towsley (2010) proposed an approach based on multiple dependent RWs, in which the multiple walks share the same sampling process, and showed that this approach has a faster mixing time than multiple independent walks and single RWs in simulations on several large social media networks.²

An important difference between this recent literature on improved random-walk algorithms in large networks such as the Internet, mobile networks, and electrical grids and sampling from human populations is the cost of an interview. In the former, the cost of each interview (i.e., querying a node of the network) is small, often a matter of nanoseconds of computer time. Instead, the size of the underlying networks is the key issue, and computers' memory restrictions place limits on the collection and processing of topographic network information for large sample sizes. As a result, most of the articles discussed focus on how little extra information and memory is needed per case to improve the sampling efficiency. In contrast, in sampling from human populations, the cost in terms of time and effort in obtaining and conducting face-to-face or telephone interviews represents the key constraint, and as a result, the overall sample size may be small. This is important because the efficacy of sampling from human social networks cannot rely on surveying a large number of people; indeed, the approaches used in computer science and elsewhere to reduce cover and mixing times seem like a good starting place for devising a new approach to sampling from social networks that performs well in finite samples.

In the next section, we build on this recent literature in computer science to propose a method for sampling from a network that uses the collection of social network data to retain a "memory" of the network and improve the efficiency of the sampling process. At the end of the article, we argue, on the basis of classic (e.g., Burt 1984; McCallister and Fischer 1978) and contemporary work on interviewing people about networks (e.g., Sandberg et al. 2008), that collecting data on a large number of respondents' alters is feasible in sampling from human populations and that the gains in sampling accuracy and efficiency outweigh the added cost of the collection of network data.

3. METHOD

A key consideration of our approach is that we want a method that has desirable asymptotic and finite sample properties: Not only do we want a method that is asymptotically unbiased (like RW-based approaches such as RDS when its assumptions are met), but we want the sampling variance and mean absolute bias (MAB) to decline rapidly in the kinds of finite sample sizes actually collected in practice when sampling from human populations. In this section, we outline our proposed solution, which consists of two different modes of sampling: a list mode that guarantees asymptotic unbiased estimates and a search mode that is designed to work in tandem with the list mode to improve the precision of estimates in finite samples. To clarify the presentation of our method, Table 1 provides a glossary of terms used in this section of the article. In addition, in section 3.B.2 below, we provide an example of a sample drawn using the list mode to illustrate the basic mechanics that are involved.

First, imagine that we are sampling from a population, A, that consists of G individuals ("nodes") who are connected through a social network. We assume that there is no sampling frame; that is, there is no list of the N members of the population that would allow for SRS. The basic intuition of our approach is quite simple: We use the sampling process to uncover the list of population members and then sample from that list with replacement.³ We call our approach "network sampling with memory" because we use name and demographic data on respondents' network members to "remember" the network; however, other types of data about network alters could be collected (e.g., Dombrowski et al. 2011).

The survey begins with an initial "seed" respondent.⁴ Each step in the sampling process consists of an interview with a respondent that, in addition to the substantive survey questions, asks for a network roster of the respondent's friends or contacts who are members of population A. In each step, new network members are added to list L, which consists of all members of A who have been nominated by a respondent.⁵ L also keeps track of the cumulative number of nominations each node has received. Let S indicate the current "step" of the sample (i.e., the number of interviews that have been completed), and let L_S indicate the number of people on the network roster L at step S.

3.1 List and Search Sampling Modes

NSM consists of two sampling modes, list and search. It is easiest to describe these sampling modes by beginning with what we call the "naive list" mode of sampling from the network roster.

Term	Definition
List mode	The process of evenly sampling from the list L of nodes that have been nominated (see section 3.B).
Even sampling	Sampling all nominated nodes (all nodes $\in L$) at the same rate. Newly nominated nodes are sampled at the current cumulative sampling rate of the existing sample (see section 3.8)
Search mode	Using bridge nodes to sample unexplored clusters of the network (see section 3.C).
Hybrid approach A	The combination of the list and search modes (see section 3.C). The population that is being sampled.
$\mathbf{G}_{\hat{\mathbf{G}}=\frac{L_{s}}{1-s^{1}}}$	Number of nodes (people) in the network connecting population A. The estimated size of the network using the capture-recapture
S	method (see equation 5). The current "step" of the sample: the number of interviews that
	have been completed.
L	The list of nodes/people that have been nominated by respondents on the network rosters.
Ls	The number of nodes that have been nominated by step S of the sample.
Es	The number of nodes eligible for sampling via the list mode in step S of the sample (see section 3.B.1).
PI	The proportion of nominated nodes $\in L$ that have been nominated once and only once in the sample.
SI	The step that even sampling begins for the list mode (see section 3.B).
CSR _i	The cumulative sampling rate for node j (see equation 2).
ESR	The even sampling rate. The cumulative sampling rate since the start of even sampling (see equation 3).
di	The degree of node i. This is the number of friends that node I has in population A.
p_nom _i	The probability that node i has been nominated after S steps.
Bridge node	A node connecting different clusters of the network.
C _j	I he number of j's friends who have been nominated once and only once in the sample.
$p \mathbf{I}_j = \frac{c_j}{d_j}$	The proportion of j's friends who have been nominated 1 time in the sample.
AI	The minimum level of P1 for the use of the search mode. If P1 > A1, use the search mode; if P1 \leq A1, use the list mode. A1 = 0.4 is used in the sampling simulations.
Average bias	The degree to which the sample means differs from the population mean, averaged across all replications (see equations 1) and 12).
Mean absolute bias (MAB)	The expected magnitude of the bias on any single replication (see equation 13).
Sampling variance	How much variance there is in the sample estimates (see equation 15).
Design effect (DE)	The ratio of the sampling variance of the method to the sampling variance of SRS (see equation 16).

Table I. Glossary of Terms Used

3.1.A. Naive List Mode. In the naive list mode we sample with replacement from the accumulated network roster L. The probability that a nominated node is sampled at step S is

$$p(sampled) = \frac{1}{L_{\rm S}},\tag{1}$$

where L_S is the currently revealed size of the revealed network.

The problem with the naive list mode is that nodes that are nominated early in the sample will be oversampled compared with nodes that are nominated later, because the early nodes are eligible to be sampled for more steps. As early nodes are oversampled, this slows down the process of exploring the network.

3.1.B. List Mode and "Even" Sampling. To prevent the problem of oversampling nodes that are nominated early in the sample, the list mode ensures equal sampling probabilities by sampling new nodes (i.e., people who are added to L when they are nominated for the first time) at the same CSR as previously nominated nodes. This "even sampling" starts once the revealed network L reaches a certain size: let L_s indicate the currently revealed size of the network after S interviews, and let P1 equal the proportion of nominated nodes (L) that have been nominated once and only once so far in the sample. In the simulations that we conducted for this article, the even sampling of new nodes begins when either $L_S \ge 200$ or S > 50 and P1 < .2 (this ensures that the list mode is turned on for small networks). Let S1 indicate the step at which even sampling begins. When S > S1, nodes that are nominated for the first time in step S are subjected to the same sampling rates experienced by previously nominated nodes from step S1 to S. A node that is interviewed in this way is called a "catch-up" interview, because it was interviewed while its CSR was "catching up" to the rest of the sample. In the next subsection, we describe this process more precisely.

3.1.B.1. Even sampling and catch-up interviews. Let Q be a node that is nominated for the first time in step S, let U_Z be a uniform random number between 0 and 1, and let $Z = \{S1, S1 + 1, ..., S\}$ indicate the steps from S1 to the current step S, excluding steps that were catch-up interviews themselves (see steps 80 to 82 in Table 2 for an example). We "retroactively" sample node Q in step Z if $U_Z < \frac{1}{E_Z}$, where E_Z is the number of nodes that were eligible to be sampled in step Z (see the following definition of the set of eligible nodes), repeating this process for all steps Z from S1 to S. The benefit of doing this is that it reduces the advantage that earlier nodes have of being oversampled compared with nodes that are added to L later in the sample.

The reason we choose $L_S \ge 200$ as the starting point for the sampling of new nodes is that if even sampling begins when the network size is too small, the sampling rate of catch-up interviews quickly becomes very large. On the basis of the results of simulated sampling discussed below on networks ranging in size from 110 to 16,278 nodes, $L_S \ge 200$ worked very well, although other thresholds above or below 200 could also work. In general, for networks that are larger than the ones that we evaluate in this article, L_S should be set higher to ensure that the even sampling

lable 2.	Example of Sampli	ig from the lest N	letwork Us	ing the List Mode	e: Step-by-step	sampling ra	tes	-	
					Cumulativ	e Sampling F	Rate (CSR)	of Nodes ⁴	
_	2	m	4	S	9	7	8	6	01
	Revealed	Number of		Sampling Rate		Node	Node	Node	ID of
"Step"	Network Size (L)	Eligible Nodes	ESR	for Step	Node I	101	201	301	Interviewed Node
0	0	0	0	NA	0	0	0	0	92 "seed"
_	8	8	0	0.125	0	0	0	0	25
2	4	4	0	0.071429	0	0	0	0	76
e	20	20	0	0.05	0	0	0	0	21
4	22	22	0	0.045	0	0	0	0	23
5	25	25	0	0.04	0.04	0	0	0	4
After 5 st	ceps, the revealed ne	stwork size is 25 (i.e., 25 diffe	rent nodes have	been nominate	ed). Node I	is nominat	ed for the firs	st time in
step 5,	and node 301 is non	ninated for the firs	st time in st	ep 7.					
. 9	46	46	0	0.021739	0.061739	0	0	0	378
7	63	63	0	0.015873	0.077612	0	0	0.015873	323
œ	68	68	0	0.014706	0.092318	0	0	0.030579	56
6	73	73	0	0.013699	0.106017	0	0	0.044278	15
After 39	steps, nodes I and 3	01 have large CSF	Is. They will	l be temporarily	excluded from	the pool of	eligible no	des once eve	n sampling is
turned	on, until their CSR i	s less than or equa	al to the ES	Ľ.					
39	194	194	0	0.005155	0.323978	0	0	0.262239	322
40	661	661	0	0.005025	0.329004	0	0	0.267264	81
4	203	001	0.01	0.01	0.329004	0	0	0.267264	79
"Even sar	npling" is turned on	in step 41 becaus	e the netwo	ork size is >200 .	Now, all newly	/ nominated	nodes are	sampled at th	ne current ESR.
Node	01 is nominated for	the first time in si	tep 43.						
42	211	001	0.02	0.01	0.329004	0	0	0.267264	138
43	213	001	0.03	0.01	0.329004	0.03	0	0.267264	177
44	218	100	0.04	0.01	0.329004	0.04	0	0.267264	122
									(continued)

⊒.
Р
Ε
a.
~
e
st
÷.
٦
<u>ل</u> م
<u>9</u>
S
<i></i>
Ð
<u> </u>
Σ
÷
-14-
ĥ
Ŧ
60
÷
ň
~
Ť
Ś
Ł
ē
Z
÷
.ö
\vdash
e
÷
Ē
5
Ĕ
60
Ĩ.
Ē
al
S
ō
Ð
đ
Ē
al
ъ.
a.
-
P
Ê
~

					Cumulati	ve Sampling	Rate (CSR) o	of Nodes ^a	
_	2	ſ	4	ъ	9	2 - 2	∞	6	01
"Step"	Revealed Network Size (L)	Number of Eligible Nodes	ESR	Sampling Rate for Step	Node I	Node 101	Node 201	Node 301	ID of Interviewed Node
After 44	steps, the ESR is 0.0	14. Nodes I and 30	01 are still ex	ccluded from sar	npling eligibili	ity because t	heir CSR is g	reater than	the cumulative ESR.
79	357	270	0.205092	0.003704	0.329004	0.205092	, 0	0.267264	199
80	358	ΔN	0.205092		0.329004	0.205092	0	0.267264	294
8	364	ΔN	0.205092		0.329004	0.205092	0	0.267264	287
82	367	ΔN	0.205092		0.329004	0.205092	0.205092	0.267264	217
Node 2(Il is nominated for t	he first time in ste	p 82. Steps 8	80 to 82 are "cat	ch-up" interv	views of new	ly nominated	I nodes. In Si	tep 251,
all 400	nodes have been no	minated, and the s	ample is app	roximately equiv	/alent to a sir	nple random	sample.		-
248	399	399	0.633599	0.002506	0.632375	0.633599	0.633599	0.633053	101
249	399	399	0.636105	0.002506	0.634881	0.636105	0.636105	0.63556	389
250	399	399	0.638612	0.002506	0.637388	0.638612	0.638612	0.638066	300
25 I	400	400	0.641112	0.0025	0.639888	0.641112	0.641112	0.640566	275
Notes: CS	R = cumulative samplin	g rate; ESR = even s	ampling rate; N	AA = not applicabl	ē				

Notes: CSR = cumulative sampling rate; ESR = even sampling rate; NA = not applia. The inverse of this rate is used as a sampling weight; see section 3.B.3.

Table 2. (continued)

rate (ESR) does not get too large too quickly.⁶ Moreover, in very large networks, the hybrid approach (which combines the search and list modes, discussed below) works the best, as demonstrated by the results presented later in this article.

In addition to ensuring that all nodes sampled after S1 are sampled at the same rate, we also want to equalize the CSR of nodes that were sampled before S1. After even sampling is turned on in step S1, we do this by excluding nodes that have high cumulative sampling probabilities until the rest of the sample catches up to them. Define each node's CSR as

"cumulative sampling rate" (CSR_j) =
$$\sum_{S=a+1}^{S=b} \frac{1}{E_S}$$
, if $j \in \text{eligible nodes}_S$, (2)

where a is the step that node j was first nominated, b is the current step, " $j \in eligible$ nodes_S" indicates that node j was eligible to be sampled at step S, and E_S is the number of nominated nodes eligible to be sampled in step S.

The sum of the step-by-step sampling rates since the initiation of even sampling is the ESR defined in equation 3 (for an example of the calculation of the ESR, see Table 2). We exclude catch-up interviews in the calculation of the ESR:

"even sampling rate" (ESR) =
$$\sum_{S=S1}^{S=b} \frac{1}{E_S}$$
, $S \notin$ "catch-up interview". (3)

To even out the sampling rate of early nodes, after step S1, we temporarily exclude any node j from the set of nodes that are eligible to be sampled in step S if $CSR_j >$ ESR. These nodes are not eligible for sampling until the ESR increases. If there are fewer than 100 nodes where $CSR_j \leq ESR$, then the list of eligible nodes at step S consists of the 100 nodes with the lowest CSR_i .

Definition of E_S: On the basis of equations 2 and 3, we define E_S as the set of nodes eligible to be sampled by the list node in step S, which consists of all nominated nodes that have $CSR_j \leq ESR$ unless the total number of nominated nodes with $CSR_j \leq ESR$ is less than 100, in which case E_S consists of the 100 nodes with the lowest CSR.

In summary, we list the sequence of steps involved in the list mode:

- B1. Randomly select the next node to interview from L, sampling with replacement. If even sampling has been turned on (S \geq S1), then only nodes $\in E_S$ are eligible to be sampled. Let W indicate the node that is selected in step B1.
- B2. Interview node W, and update the network roster L.
- B3. If even sampling has been turned on, use the catch-up procedure described in section 3.B.1 to see if any newly nominated nodes are randomly selected

to be interviewed. If a new node is selected, this newly nominated node now becomes node W. Go to step B2.

B4. Return to step B1 until the desired sample size has been reached.

3.1.B.2. Example of sampling using the list mode. To illustrate how the list mode works in practice, Table 2 describes the sampling process for a single sample drawn from the 400-node test network, which is discussed in detail below. Table 2 consists of 10 columns of information about each step of the sample. Column 1 shows the step number, and column 10 shows the ID of the node that was interviewed in that step. The current size of the revealed network, L (column 2), is updated after the interview and shown in the next step. For example, the sample begins with step 0, which is the initial seed (node 92). Node 92 has 7 friends in the network, so the size of the revealed network as we begin step 1 is 8 (the seed node + 7 friends), and the effective sampling rate for Step 1 is $\frac{1}{8} = 0.125$ (column 5). By step 5, a total of 25 different nodes have been nominated (L = 25), and the sampling rate for step 5 is 0.04.

Columns 6 to 9 show the CSR of four of the nodes in the network (ID numbers 1, 101, 201, and 301). Node 1 is nominated for the first time by node 23 in step 4 and is eligible to be sampled for the first time in step 5 (hence, its CSR in step 5 is 0.04). Node 301 is eligible to be sampled for the first time in step 7. Note that because nodes 1 and 301 were nominated early in the sample, they accumulate a higher CSR compared with nodes 101 and 201. By step 39, for example, the CSR for node 1 is 0.323978, while nodes 101 and 201 have yet to be nominated by any of the nodes that have been interviewed so far.

In step 41, even sampling is turned on because the revealed network size is greater than 200. Now, all nodes that are nominated for the first time will be sampled at the ESR defined above in equation 3. After the start of even sampling, only nodes with CSR (columns 6 to 9) less than or equal to the ESR (column 4) are eligible for sampling. In this example, nodes 1 and 301 are temporarily excluded from sampling starting in step 41. The only exception to this is right after the start of even sampling if there are fewer than 100 nodes with CSR \leq ESR. In this case, the 100 nodes with the lowest CSR are eligible to be sampled.⁷

By Step 79, the number of revealed nodes is 357, and the ESR has risen to 0.205092, which means that newly nominated nodes have about a 20 percent chance of being interviewed. On the basis of random draws using the process described in section 3.B.1, steps 80 to 82 resulted in catch-up interviews for which nodes that were nominated for the first time were randomly selected to be interviewed themselves. The benefit of this procedure, in addition to ensuring a gradual even sampling of the network, is that the sample gets pushed toward newly discovered parts of the network.

Finally, in step 251, all of the nodes in the network have been nominated, and the CSR of all nodes is equal to the ESR or, for nodes that were temporarily excluded from sampling eligibility, slightly less than the ESR. In Table 2, nodes 101 and 201 have a CSR equal to the ESR (0.641112), while the two nodes that were nominated

early in the sample are slightly lower (0.63988 for node 1 and 0.640566 for node 301).⁸ The key point is that in step 251, the entire network has been revealed by the survey and all nodes have been "evenly" sampled, just as if they had been sampled with SRS, even though no sampling frame was available at the start of the sampling process. In the next subsection, we discuss sampling weights, and later, in section 5, we discuss diagnostics for convergence to SRS when the overall size of the network is unknown.

3.1.B.3. Nomination probability weights for the list mode. If the network has not been completely explored (if not all of the members of population A have been nominated), then high-degree nodes are more likely to have been nominated than low-degree nodes simply because they know more people. We estimate the nomination probability on the basis of degree, assuming a random sampling of nodes. For example, in a 500-node network, the probability that node i of degree d_i will be nominated by a respondent in any single interview is $\frac{d_i}{500}$. Similarly, the cumulative nomination probability for node i after S interviews is

$$p_nom_i \cong 1 - (1 - \frac{d_i}{G})^S, \tag{4}$$

where G is the number of nodes in the network.

Because G is unknown when we are sampling unknown networks, we estimate G using the capture-recapture method (see Dombrowski et al. 2011 for a discussion of the capture-recapture method from social networks and a data collection strategy similar to that advocated here):

$$\hat{\mathbf{G}} = \frac{L_S}{1 - P\mathbf{1}},\tag{5}$$

where L is the current number of nominated nodes, and P1 is the proportion of nominated nodes that have been nominated one time.⁹ See equations 9 and 10 below for the use of composite weights combining p_nom and the CSR to calculate the sample mean. Note that as the sample size S becomes large, the estimated probability of being nominated from equation 4 will go to 1 for all nodes.

3.1.C. Search Mode. As we will see in the "Results" section, the list mode does a very good job by itself sampling from the Add Health and Facebook networks with a sample size of 500. However, in larger networks, the precision of the samples decreases because it takes longer to explore the network.¹⁰ In this section, we add the search mode, which pushes the sampling process toward unexplored parts of the network. Note that the search mode used here is not the same thing as other searching modes commonly used in graph theory, such as breadth-first or depth-first search.¹¹ The search mode is not designed to be used by itself but only in combination with the list mode. We call the combination of the search and list modes the "hybrid" approach.



Figure 1. Illustrative network with two clusters

Note: Hollow nodes are unsampled, and dark nodes are sampled. Circles indicate nodes nominated two or more times, squares indicate nodes nominated one time, and triangles indicate nodes nominated zero times.

The intuition behind the search mode is based on the idea of a "bridge node" or a "structural hole" (Burt 1995) that connects two clusters of the network. Imagine that node Y_1 is in a cluster of the network Y that has not been sampled, except for node Y_1 . As depicted in Figure 1, node Y_1 links across a bridge to cluster X, which has been extensively sampled. Y1's friends on the Y side of the bridge have been nominated (by Y1)—so they appear on the network roster L—but they have not been sampled or nominated by any other respondent. These nodes represent the leading edge of an unexplored area of the network. The search mode is designed to sample from the friends of nodes like Y1 that are on the other side of a bridge to an undersampled cluster of the network.

Let d_j indicate the degree of node j, which is the number of friends that node j has in the network. Let c_j indicate the number of j's friends who are unsampled and have been nominated once and only once so far in the survey. For example, in Figure 1, the friends of Y1 on the Y side of the bridge (nodes Y8, Y5, and Y2) have been nominated only by Y1, whereas all nodes on the X side of the bridge that are unsampled (nodes X1, X3, and X8) have all been nominated at least two times. Define the proportion of j's friends that have been nominated 1 time as $p_{1j} = \frac{c_j}{d_j} \cdot p_{1j}$ is calculated for all nodes in the network that have been sampled so far. In addition to p_{1j} , we calculate P1 (defined above as the overall proportion of nodes $\in L$ that have only one nomination). Finally, we designate A1 as the minimum value of P1 at which the search mode will be used. When P1 gets low, this means that most of the nodes have been nominated by at least two respondents, which suggests that the network is fairly well explored, and we can use the list mode without sacrificing much in the way of sampling efficiency.

The search mode consists of the following steps:

C1. (a) Calculate $p1_j$ for all sampled nodes, and (b) calculate P1, the proportion of nominated nodes that have been nominated only one time.



Figure 2. The 400-node test network

- C2. If P1, the overall proportion of nodes $\in L$ with one nomination, is greater than A1, the minimum threshold for the search mode, use the search mode. If $P1 \leq A1$, default to the list mode. This ensures that the list mode is used when much of the network has been explored. In the sampling simulations below, we set A1 to 0.4, but we tried other settings as well. Note that the reason we choose to switch to the list mode at a specific point (i.e., when $P1 \leq A1$), rather than always use the search mode or "blend" the two modes together, is that the asymptotic properties of the search mode will depend on the structure of the particular network being sampled. In contrast, the list mode converges to SRS as L approaches the true size of the network.
- C3. We want to identify bridge nodes (such as Y1 in Figure 1) and then interview their unsampled friends who have only one nomination (i.e., nodes Y2, Y5, and Y8 in Figure 1). To do this, we will identify the five nodes that are the most likely to be bridges and then sample one of their unsampled network ties. In this step, we calculate the probability that a particular node is a bridge node. To begin with, we argue that bridge nodes are nodes that are the largest positive outliers in terms of their observed value of c_j , that is, nodes that have unexpectedly large values of c_j given their degree and the current value of P1. First, we estimate the probability node j has c_j or

more friends with only one nomination (conditional on node j being sampled), given d_j and P1, using the binomial distribution

$$p(X \ge c_j | j \in L) \cong \sum_{i=c_j}^{d_j} {d_j \choose c_j} P1^{c_j} (1-P1)^{d_j-c_j},$$
(6)

where, as noted above, P1 is the overall proportion of nodes $\in L$ with one nomination so far in the sample.

C4. We estimate how "unexpected" the current value of c_j is for node j by multiplying the binomial tail probability in equation 6 by the estimated probability that node j has been nominated by step S of the sample (from equation 4 above)¹²:

$$p(X \ge c_i) \cong p_nom_i \times p(X \ge c_i | i \in L).$$
⁽⁷⁾

C5. Finally, we define the relative probability of node j being a bridge node as

$$p(\text{bridge}) = 1 - p(X \ge c_i). \tag{7b}$$

- C6. We choose the five nodes with the highest values of p(bridge) as the set of most likely bridge nodes.¹³
- C7. Randomly select one of the top five bridge nodes from step C3, weighting the five nodes on the basis of their values of $p(\text{bridge}_j)$ from equation 7b. Let BR indicate the selected bridge node.
- C8. Let BR indicate the set of BR's friends that are unsampled and have one and only one nomination so far in the sample. Randomly select one node from BR1 as the next interview.
- C9. To incorporate the CSR from the search mode with the even sampling aspect of the list mode, we calculate the sampling probability of each eligible friend F from any node j that was among the top five bridge nodes in step C4. For the eligible friends of one of the top five bridge nodes j:

$$p(\text{node F sampled with search}) = \frac{1}{c_j} \frac{p(bridge_j)}{\sum_{k=1}^{5} p(bridge_k)},$$
(8)

where c_j is how many eligible friends node j has, and $\frac{p(bridge_j)}{\sum_{k=1}^{5} p(bridge_k)}$ is the prob-

ability that node j is chosen from among the top five possible bridge nodes. This sampling rate in equation 8 is then added to the CSR for node F (see equation 2 above in section 3.B) each time that node F is eligible to be sampled via the search mode. As discussed above in section 3.B, the list mode ensures the uniform sampling of all nominated nodes as the sample progresses by temporarily excluding any node that has a higher CSR than the ESR defined in equation 3. As a result, any oversampling of bridge nodes at the beginning of a sample will gradually disappear once the network is explored and the sampling process shifts to the list mode (i.e. after $P1 \leq A1$ in step C2).

C10. After calculating the search mode sampling rates for the eligible nodes in step C6, we update the network rosters and return to step C1 of the search mode, using the search mode when P1 > A1 and the list mode when $P1 \le A1$ in step C2. Repeat this process until the desired sample size is reached (see section 5 for a discussion of an ideal stopping point on the basis of convergence to SRS).

3.2 The Hybrid Approach

What we are calling the "hybrid" approach consists of the combination of the list and search modes. The sample starts out in search mode, but it defaults to the list mode when the network has been reasonably well explored, as indicated by the threshold A1 in steps C2 and C7 above.

3.3 Sample Mean

For all of the NSM variants (naive list, list, and hybrid), the sample mean from a single sample of S cases is calculated as the weighted mean \widehat{m} :

$$\widehat{m} = \sum_{s=1}^{s=S} Y_s \cdot \left(\frac{w_s}{\substack{k=S\\\sum_{k=1}^{s} w_k}} \right), \tag{9}$$

where s refers to the node that was sampled in the sth step of the sample and the case specific weight, w_{s} , is defined as

$$w_s = \frac{1}{CSR_s \cdot (p_nom_s)},\tag{10}$$

and CSR and p_nom are defined above (see equations 2, 4, and 8).

4. SIMULATED SAMPLING

In this section, we test the performance of NSM (hybrid, list, and naive list), RDS, and RWs along a variety of dimensions by using simulated sampling on a test

network and 162 real social networks. After these simulated tests, in section 5 we consider the question of convergence to SRS, and in section 6 we address the broader question of the feasibility of the method. Before we begin, we note that the complete computer code needed to replicate our findings (in Stata's Mata language) with the test network described below, as well as examples of alternative approaches, is available on the first author's Web page (www.tedmouw.org).

In our simulated sampling, we use RDS and RW to provide a meaningful comparison to evaluate the efficiency of NSM. For RW, we start with a single, randomly selected seed, and all subsequent cases are drawn randomly from among the friends of the current case, sampling with replacement. RDS is conducted similar to RW, with the next respondent selected as a referral from among the friends of the current respondent. In these simulations, the difference between RW and RDS is that RDS allows for multiple referrals from each respondent.¹⁴ We follow the simulated sampling approach of Goel and Salganik (2010) whereby the probabilities of referring 0, 1, 2, or 3 new respondents in RDS are $\frac{1}{3}, \frac{1}{6}, \frac{1}{6}, \text{ and } \frac{1}{3}$, respectively.

For each network, we use the different methods to collect 500 samples of 500 cases, starting at a randomly selected node and sampling with replacement. Although in practice, the RDS methodology does not sample with replacement, we simulate our respondent-driven samples with replacement because RDS has been shown to be biased when conducted without replacement as the proportion of the population sampled gets large (Gile and Handcock 2010)¹⁵; in this sense, sampling with replacement is necessary to allow us to observe the asymptotic properties of RDS. Furthermore, other prominent simulation work evaluating RDS has also been conducted with replacement (Goel and Salganik 2010). To maintain consistency with those results and to provide a fair comparison between our RDS, RW, and NSM results, we therefore conduct all of the simulations with replacement.

4.1 Test Statistics

We compute four different test statistics to evaluate the competing methods: average bias, MAB, standard deviation (SD), and the design effect (DE). First, define the bias (or error) of a single sample i (of size S cases) collected from network j as

$$bias_{ij} = \hat{m}_{ij} - m_j, \tag{11}$$

where m_j is the population mean of the dependent variable in network j, and \hat{m}_{ij} is the estimate of m_j in sample i. The average bias in network j (for a particular method) is

average bias_j =
$$\frac{\sum_{i=1}^{N} \text{bias}_{ij}}{N}$$
, (12)

where N is the number of different samples collected.

Because the average bias for any particular network could be positive or negative, we want to take the absolute value of the average bias of each network when summarizing it across different networks. Define the summary measure of average bias as

average bias =
$$\frac{1}{J} \sum_{j=1}^{J} \left| \frac{\sum_{i=1}^{N} bias_{ij}}{N} \right|$$
, (13)

where J is the number of different networks in the study.

The MAB-the measure of the average magnitude of the error for each sample-is

$$MAB_{j} = \frac{\sum_{i=1}^{N} |bias_{ij}|}{N}.$$
 (14)

Note that the difference between the average bias and the MAB as defined in equations 13 and 14 is where the absolute value is taken, before or after averaging the bias across the N samples collected for each network. The variance of the bias, which we refer to as the "sampling variance" throughout this article (Groves et al. 2009:58) is

sampling variance =
$$\sigma_j^2 = \frac{\sum\limits_{i=1}^{N} (\hat{m}_{ij} - m_j)^2}{N}$$
, (and $SD_j = \sigma_j$). (15)

To compare the sampling variance to SRS, we also calculate the DE, which is

$$DE_j = \frac{\sigma_j^2}{\sigma_{SRSi}^2},\tag{16}$$

where σ_{SRSi}^2 is the sampling variance of SRS with a sample size of S cases.

4.2 Test Network Results

Before we sample from the Add Health and Facebook networks, we first try the methods using an artificial test network. The reason we do this is that this network is very easy to visualize, it would be simple to reproduce, and it illustrates key differences in the performance of the competing methods. The test network consists of 400 nodes divided into four clusters of 100 nodes each. Each cluster is characterized by a different degree (i.e., the number of friends each person has). In Figure 2, all of the nodes have one tie to someone in a different cluster, with the remainder of their social ties within their cluster. The four clusters A (bottom right cluster in Figure 2), B (bottom left), C (center), and D (top) have degrees 7, 12, 17, and 22 respectively. This is a



Figure 3. Test network sampling results (400 nodes, dependent variable: average degree) Notes: Bias = average bias; design effect (DE) = $\frac{\sigma_{interbas}^2}{\sigma_{SRS}^2}$; MAB = mean absolute bias; RDS = respondent-driven sampling; SD = standard deviation.

highly connected network, because every node has a tie to someone else in a different cluster.

To evaluate our simulated sampling from the test network, we examine the overall average degree in the network, which is 14.5, as the dependent variable. Because degree is clustered within the network, this should pose a problem for RW- and RDS-based approaches. Likewise, because the NSM, RDS, and RW approaches all rely on degree as either a means of exploring the network (NSM) or as a postsample weight, average degree is a measure that we suspect will be challenging for all three approaches. For the test network, we collected 1,000 samples of 1,000 cases for each method, sampling with replacement.

Figure 3 shows the results for each method with sample sizes varying from 50 to 1,000 cases, and Table 3 presents the same results in tabular format for sample sizes of 250, 500, and 1,000 cases. Because of space constraints in Figure 3, the naive list

				Metho	Ь	
Variable	Steps	Hybrid	List	Naive List	RDS	Random Walk
Average bias	250	0.00036	0.00472	0.1472	0.1278	0.02825
-	500	0.000084	0.000014	0.07651	0.09775	0.01458
	1,000	5.00e-06	0.001203	0.03781	0.06936	0.01095
Mean absolute bias	250	0.05281	0.05526	0.1831	0.5254	0.2555
	500	0.04001	0.03938	0.09757	0.4568	0.173
	1,000	0.02756	0.02808	0.05165	0.3933	0.1304
Design effect	250	0.8986	0.9615	5.49	76.95	20.72
0	500	1.015	0.962	3.221	119.6	18.8
	1,000	0.9963	0.9845	2.066	181	21.1
Standard deviation	250	0.06711	0.06942	0.1659	0.6211	0.3223
	500	0.05045	0.0491	0.08985	0.5476	0.2171
	1,000	0.03533	0.03512	0.05088	0.4762	0.1626

 Table 3. Test Network Sampling Results (400 Nodes, Dependent Variable: Average Degree)

Note: RDS = respondent-driven sampling.

results are only displayed in Table 3. Starting with the first row of Figure 3, we see that although all of the methods are asymptotically unbiased, the NSM hybrid and list approaches get to zero much more rapidly than RDS or RW. A similar advantage is evident for the MAB, SD, and DE. The magnitude of the advantage is clear: The hybrid and list approaches do better on MAB, SD, and DE with a sample size of about 75 than the RDS and RW approaches do with a sample size of 1,000. In practical terms, this means that generalizable inferences with tighter confidence intervals can be made from far fewer respondents collected via NSM.

Table 3 includes results for the naive list approach. Recall that the key difference between the list and naive list approaches is that the former chooses cases using a weighting scheme to ensure that nodes sampled early in the process are not overrepresented. Although the naive list approach is very intuitive, it does not perform as well as the list approach, with a DE of 2.066 (with a sample size of 1,000). On the other hand, it still outperforms RDS and RW, which have DEs of 181 and 21.1, respectively.

The hybrid and list approaches do well because once the network has been "discovered" (i.e., as the list L of nominated nodes approaches the population size G), these approaches are identical to SRS. RDS and RW have difficulty with this network because although it is highly connected, it is easy for them to get stuck in one of the clusters because they are wandering "blindly" with no accumulated network information other than a list of sampled cases. For example, for each node in cluster D (the bottom right-hand cluster), there are 19 within-cluster ties and 1 tie to someone out of the cluster. As a result, if RDS or RW is currently interviewing in cluster D, it has only a 5 percent chance of exiting to a different cluster. Although, as shown in Figure 3, the SD of RDS and RW declines as the sample size increases, it does so at a relatively slow rate compared to SRS. As a result, the DE for these two methods does not go down; it is relatively constant for RW and goes up for RDS, which indicates that RDS loses ground relative to SRS in this network as the sample size increases. In contrast, the hybrid and list approaches have DEs that rapidly approach 1 in Figure 3, indicating increasing parity with SRS.

4.3 Overview of the Add Health and Facebook Networks

Table 4 shows descriptive statistics for the Add Health and Facebook networks. In all of the networks discussed here, we use only the largest connected component. This is a common and necessary approach in evaluating link-tracing samples via simulation; indeed, a key assumption of RDS is that the results are only generalizable to the "giant component" (Volz and Heckathorn 2008). One of the data sets we use is the network data from Add Health. These are some of the most commonly studied network data in the world and are perfect for our evaluations because they contain numerous instantiations of the same network survey conducted at the same time in different places. The differences between networks allow us to explore how characteristics of those networks relate to biases and inefficiencies in the various methods we test. In the Add Health networks, we have treated all nominations as symmetric (i.e., we forced nonreciprocated nominations to be symmetric). Goel and Salganik (2010) considered the sensitivity of RDS results to this assumption in the Add Health data by looking only at ties that were actually reciprocated in the original data and found that the DEs were considerably worse than in the case where all ties were treated as symmetric.¹⁶

In the Add Health networks, we use our simulations to obtain estimates of the proportion white students in the school. Goel and Salganik (2010) found that race had the highest DEs among the variables they tested in the Add Health data, which, we argue, makes it a good variable to use to evaluate our competing methodologies. We limit our sample to the 62 schools at which the proportion white was between 0.2 and 0.8.¹⁷ In Table 4A, we see that the size of the Add Health networks ranges from 110 to 1,610 nodes. Because the respondents were asked to list their top 5 male and female friends, the average degree is low in these networks compared with the Facebook networks we discuss below; the global average degree is 8.48, and it ranges from a low of 4.28 to a high of 11.99. As a measure of the level of intergroup friendship taking group size into account, homophily is defined as 1 minus the ratio of the number of cross-group friends divided by the expected number of cross-group friends under random assignment.¹⁸ Overall, the level of white-nonwhite homophily averages 0.562 and goes from a low of -0.021 to 0.816.

A final descriptive measure is "Y-mean degree difference," which is the percentage difference in the average degree by the dependent variable (white vs. nonwhite in the case of the Add Health networks). This variable is a measure of whether one group has, on average, more friends in the network than the other group. We

Variable	Mean	25th Percentile	Median	75th Percentile	Minimum	Maximum
 Add Health networks (1 = 62) 						
Proportion white	0.562	0.424	0.632	0.718	0.215	0.794
Homophily	0.380	0.221	0.358	0.509	-0.021	0.816
Nodes (number of people)	494.8	247	395	586	011	1610
Edges (number of ties)	3,441.5	1,638	2,622	4,276	608	12,794
Mean degree	8.48	7.43	8.46	9.78	4.28	11.99
Y-mean degree difference	10.36	4.40	7.90	13.62	0.02	42.61
B. Facebook networks (/ = 100)						
Proportion freshman	0.282	0.231	0.281	0.336	0.141	0.462
Homophily	0.786	0.745	0.810	0.846	0.378	0.900
Nodes (number of people)	4,635.8	2,186	3,694.5	6,638	331	16,278
Edges (number of ties)	238,916.3	83,517	207,308	339,513	6,672	997,614
Mean degree	81.14	66.71	79.95	93.95	31.99	156.06
Y-mean degree difference	1.25	0.29	0.54	1.29	0.01	11.33

Table 4. Descriptive Statistics for Add Health and Facebook Networks

Note: Add Health = National Longitudinal Study of Adolescent Health.



Figure 4. Add Health network 112 *Note:* Nodes are colored by student race (black squares = white; gray circles = nonwhite).

calculate it as the absolute value of the difference in average degree among the groups divided by the overall average degree:

y-mean degree difference =
$$100 \frac{\left|\bar{d}_{Y=1} - \bar{d}_{Y=0}\right|}{\bar{d}}$$
, (17)

where $\overline{d}_{Y=A}$ represents the mean degree for group A of the dependent variable. The reason for including this variable is that we want to see whether having an imbalance in average degree across the dependent variable affects the results. Gjoka et al. (2010) find that average degree is particularly challenging to estimate with link-tracing approaches, so we expect that unbiased estimation of this variable will be especially challenging for the methods we test. The test network in Figure 2 is an extreme example of a network in which average degree differs sharply across the different groups (i.e., clusters A, B, C, and D).

4.4 Add Health Results

We start our discussion of the Add Health results by considering one of the smallest networks, network 112, which consists of 210 nodes and is 54.2 percent white. Of the 1,638 social ties in the network, 250 of them are cross-race ties, indicating that there is considerable cross-race interaction even though friendship is racially segregated.

Figure 4 shows a picture of this network. A key observation to make from this picture is that although the total number of intergroup ties is large (250), they are not

				Method	1	
Variable	Steps	Hybrid	List	Naive List	RDS	Random Walk
Average bias	250 400	0.001193	0.001793 0.0006971	0.004337	0.005243 0.007063	0.006462 0.002586
Mean absolute bias	250 400	0.0009851 0.02489 0.01988	0.0001629	0.003245	0.006052 0.2647 0.2479	0.1201
Design effect	250 400 500	1.002 1.002 0.9961	0.990 0.9243 0.9852	7.554 5.285 4.697	89.73 127.4	21.47 24.14 25.16
Standard deviation	250 400 500	0.03161 0.02499 0.02229	0.03142 0.024 0.02217	0.0868 0.0574 0.0484	0.2992 0.2818 0.2737	0.1463 0.1227 0.112

Table 5. Sampling Results from Add Health Network 112

Notes: Add Health = National Longitudinal Study of Adolescent Health; RDS = respondent-driven sampling.

evenly distributed across students. This is a contrast with the test network, in which every node had 1 tie to a different cluster. This is important because it means that RDS and RW, which have no memory of the overall network structure, can get stuck in the interior of each of the two large clusters defined by race (white vs. nonwhite) in Figure 4, with a limited chance of transitioning to the other cluster.

Figure 5 and Table 5 show the results for sampling from network 112 with 500 samples of 500 cases each. The basic pattern of the results is similar to the test network discussed above. Although all of the approaches appear to be asymptotically unbiased, the hybrid and list approaches show the most rapid approach toward zero average bias. Once again, the key result is the dramatic difference in the DEs. The hybrid and list approaches have DEs of 1 after about 200 cases (see Figure 5), while RDS and RW do not get anywhere close to 1 after 500 cases. The naive list approach does not do as well as the list approach, with a DE of 4.697 in samples of 500 cases.

Columns 1 and 2 of Table 6 show the overall results from sampling the 62 Add Health networks. Column 1 shows the average (and median) DE and bias with the school's proportion white as the dependent variable, and column 2 shows the results with mean degree as the dependent variable. The overall finding in column 1 is that the NSM hybrid and list approaches do very well on these networks with proportion white as the dependent variable, with average DEs of 1.110 and 1.236, respectively. In contrast, RDS has an average DE of 66.883 (median DE = 47.766), and RW has an average DE of 12.698. A key finding in Table 6 is that in these relatively small networks, the list approach does very well. Because the list approach is so intuitive and simple (see section 3.B), we believe that it may have considerable appeal as an



Figure 5. Sampling results from National Longitudinal Study of Adolescent Health network 112

Note: RDS = respondent-driven sampling.

alternative to RDS when sampling from a network when the precision of the estimates is a concern and it is possible to collect basic network data. In column 2, we see a similar pattern of results with average degree as the dependent variable; the hybrid and list approaches have the lowest average DEs (1.069 and 1.132, respectively), while the average DE for RDS is considerably higher (25.206).¹⁹

4.5 Facebook Networks

To test NSM on larger networks, we use data from Facebook, an online social network launched in February 2004. The data we use here were collected in 2005, when Facebook membership was available only to those affiliated with universities (i.e., those with a valid ".edu" e-mail address at schools that had been registered with the company). The data set we use contains a census of all users and the connections among them at 100 university networks that were part of Facebook in September 2005 (an overview of these data and access information is given in Traud et al. 2010 and Traud, Mucha, and Porter 2010]).²⁰

The bounded nature of student friendships within universities, in addition to replications over 100 social settings, is an important part of why this data set is

	Networ	rk Source and Depende	ent Variable
	l Add Health ^a	2 Add Health ^a	3 Facebook ^b
Dependent variable	Proportion white	Average degree	Proportion freshman
Average design effects			
NSM: hybrid	1.110	1.069	1.198
NSM: list	1.236	1.132	2.267
Naive list	5.605	2.152	22.85
RDS ^c			83.931
RDS full data ^d	66.883	25.206	86.135
RW ^c			12.031
RW full data ^d	12.698	6.652	19.107
Median design effects			
NSM: hybrid	1.055		1.188
NSM: list	1.093		1.969
Naive list	3.317		17.507
RDS ^c			78.145
RDS full data ^d	47.766		85.987
RW ^c			11.517
RW full data ^d	9.273		18.294
Average bias			
NSM: hybrid	0.0019	0.0328	0.0048
NSM: list	0.0021	0.0424	0.0117
Naive list	0.0168	0.3172	0.0483
RDS ^c			0.1363
RDS full data ^d	0.0091	0.0867	0.018
RW ^c			0.1047
RVV full data ^d	0.0032	0.0228	0.0049
Median average bias			
NSM: hybrid	0.0011		0.0037
NSM: list	0.0013		0.0091
Naive list	0.0116		0.0470
RDS℃			0.1060
RDS full data ^d	0.005		0.0164
RW ^c			0.0691
RW full data ^d	0.0022		0.0044

Table 6. Overall Add Health and Facebook Results

Notes: Add Health = National Longitudinal Study of Adolescent Health; NSM = network sampling with memory; RDS = respondent-driven sampling; RW = random walk.

a. The Add Health networks are run on the largest connected component from the complete network data for each school.

b. Because the average number of ties in the Facebook data was so high, the maximum number of ties was truncated at 20 for the NSM hybrid, list, and naive list methods. This makes it harder for these methods. See the text for details.

c. RDS and RW were run on the same truncated data (maximum degree of 20) as the NSM approaches for the Facebook data.

d. RDS and RW were run on the full data, with no limit on maximum degree. See text for details.

appropriate for this analysis. Sociologists have used Facebook for a variety of research questions (Lewis et al. 2008; Wimmer and Lewis 2010). The most important feature of these data for our purposes is that they are reasonable representations of offline friendships within universities (Boyd and Ellison 2008; Clouston et al. 2009; Haythornthwaite 2005; Lampe, Ellison, and Steinfield 2007), though there are some nuances to this (Ellison, Steinfield, and Lampe 2006). At that time, users were also relatively open about sharing information online (Gross and Acquisti 2005), which allows us access to several self-reported attributes of respondents.

In our sampling tests using the Facebook data, the proportion of first-year students (freshmen) in the network is our dependent variable. In preparing the data, we deleted cases that were missing information on the respondent's year in school. In addition, because the average degree of these networks was so large, we decided to test the hybrid and list approaches by limiting the number of friends that each respondent could list to a maximum of 20, a number that is below the average degree we found in the field test of collecting network data we conducted that is discussed below in section 6 and which could reasonably be collected in a survey. For NSM, more network data-in terms of the average number of friends listed on respondents' network rosters—is always better, because it means that the network is revealed faster (i.e., $L \rightarrow G$ more quickly; see section 3.B). Thus, by limiting the number of friends each respondent can list, we are making it harder for NSM to sample from these networks. For the RDS and RW approaches, we will run the samples twice, once with a maximum of 20 friends per respondent and once with all of the friends. In the simulated samples with the networks truncated at 20 friends, before the sample begins, we randomly select 20 friends per respondent if the respondent has more than 20 friends. These 20 friends are randomly rechosen for each replication of the sample.²¹

Table 4B presents basic descriptive statistics on the 100 Facebook networks. The level of friendship homophily between freshman and nonfreshman is high in these data, averaging 0.786 and ranging from 0.378 to 0.9. The number of nodes averages 4,635, with a maximum of 16,278. The mean degree for the full data is 81.14, which is the reason we choose to limit the maximum degree for the hybrid and list approaches to 20.

4.6 Facebook Results

We begin by discussing results for the largest Facebook university network (network 100), which has 16,280 nodes. This network is 30.3 percent freshman and has a homophily level of 0.683. The average degree is 106.4 (19.77 in the network truncated at degree 20). Figure 6 shows the results for RDS and RW using the full networks (because both RDS and RW do better on the full networks), and both the truncated and full networks are presented in Table 7.

The important finding in network 100 is that the hybrid approach continues to do very well, with an average bias of 0.0003 after 500 steps and a MAB of 0.01661. To put the MAB result into perspective, the first row of Figure 6 shows that hybrid does better with a sample size of about 75 than either RDS or RW does with 500. In

Table 7. Sampling Re	sults for the	Largest Facebook	University Netwo	ork (16,280 Nod	es, Dependent Variable	: Proportion Fre	shman)
		Truncat	ced Network Dat	a (Maximum De	$gree = 20)^a$	Full Net	work Data
Variable	Steps	Hybrid	List	RDS	Random Walk	RDS	Random Walk
Average bias	250	0.0199	0.03452	0.4246	0.04032	0.03265	0.03811
)	400	0.006125	0.02586	0.4388	0.04299	0.03769	0.03649
	500	0.0003046	0.02095	0.445	0.0448	0.03948	0.0359
Mean absolute bias	250	0.03642	0.06275	0.4247	0.06897	0.134	0.07709
	400	0.02322	0.04476	0.4388	0.06162	0.1118	0.06553
	500	0.01661	0.0378	0.445	0.05838	0.1035	0.06044
Design effect	250	1.997	6.182	26.00	6.575	32.12	9.75
0	400	1.422	4.616	28.65	6.992	35.82	10.48
	500	1.079	4.379	29.63	6.893	38.34	10.61
Standard deviation	250	0.04115	0.07231	0.1483	0.07455	0.1651	0.09082
	400	0.02745	0.0494	0.1231	0.06078	0.1378	0.07443
	500	0.02138	0.04303	0.1120	0.05397	0.1275	0.0670
Note: RDS = respondent-	driven samplin	υö					

a. The truncated network data limit the number of friends each respondent can nominate to 20. This is designed to make it harder for the network sampling with memory hybrid and list approaches (see the text for details).



Figure 6. Sampling results for the largest facebook university network (16,280 nodes, dependent variable: proportion freshman) *Note*: RDS = respondent-driven sampling.

addition, while the list approach performed as well as the hybrid approach on the smaller Add Health networks, this is not the case in this large Facebook network. Although the second row of Figure 6 shows that the DE of list is declining, it does not do so as rapidly as the hybrid approach, resulting in a DE of 4.379 after 500 steps (cases), compared with 1.079 for the hybrid approach.

Column 3 of Table 6 presents the overall results for the Facebook networks. The results confirm the basic discussion from network 100 above: Hybrid and list have much lower DEs than RDS or RW. In addition, the DE of the list approach is slightly higher on the larger Facebook networks compared with the Add Health networks, and the naive list approach does not do much better than RW. In contrast to the list approach, the DE of hybrid stays low (1.198).

As a summary measure of the overall results combining the Add Health (with proportion white as the dependent variable) and the Facebook networks together, we note that the average DE on these 162 networks using the hybrid approach and list approaches was 1.16 and 1.87, respectively. These DEs are close to what would be expected in SRS (DE = 1) and perform significantly better compared with the DEs of

			Method		
Variable	Hybrid	List	Naive List	RDS	Random Walk
Homophily	0.158	-0.136	28.36***	284.1***	40.41***
	(0.144)	(0.338)	(5.563)	(15.16)	(2.757)
Add Health network	-0.182	0.471	l 6.67* ^{**}	71.37***	6.933**
	(0.114)	(0.268)	(4.427)	(11.99)	(2.181)
In(nodes)	-0.00576	0.964***	2.14***	-8.917**	-2.030***
	(0.0278)	(0.0654)	(1.252)	(2.930)	(0.533)
Average degree	—0.0011Í	-0.0045 [´] I	<u> </u>	<u> </u>	0.0436
	(0.00121)	(0.00285)	(0.0494)	(0.127)	(0.0232)
Y-mean degree difference	0.00714	0.0130	0.00201	-0.139	0.207**
-	(0.00376)	(0.00886)	(0.144)	(0.397)	(0.0722)
Constant	1.202***	-5.133***	-94.72* ^{**}	-56.61*	0.0898
	(0.236)	(0.555)	(9.751)	(24.88)	(4.525)
Observations	162	162	162	162	162
R ²	.076	.698	.658	.718	.687
Mean design effect	1.16	1.85	15.48	78.76	16.65
SD design effect	0.25	1.05	15.90	48.54	8.38

Table 8. Ordinary Least Squares Regression Results for the Design Effect, Combined AddHealth and Facebook Networks

Notes: Standard errors are in parentheses. Add Health = Add Health = National Longitudinal Study of Adolescent Health; RDS = respondent-driven sampling.

*p < .05. **p < .01. ***p < .001.

77.4 for RDS and 12.3 for RW.²² On all 162 of the networks, both the NSM hybrid and list approaches had lower DEs than RDS or RW.

Finally, to evaluate the sensitivity of the observed DE and average bias to the network characteristics from Table 4, in Tables 8 and 9 we combine the results of the Add Health and Facebook networks and run a regression analysis.²³ In Table 8, the dependent variable is the DE, and in Table 9, the dependent variable is the average bias calculated using equation 13 above. The bottom two rows of each table present the mean and SD of the dependent variable as a reminder that these vary considerably across the different methods. All the models include a dummy variable indicating the source of the data (1 = Add Health, 0 = Facebook). As discussed above in reference to Table 4, the variable "Y-mean degree difference" is a measure of whether the mean degree varies across categories of the dependent variable (see equation 17 above). We use the natural log of the number of nodes to measure network size.

There are three key findings in the analysis of the DE in Table 8. First, for the hybrid approach, none of the variables have a significant effect (at the p = .05 level): In other words, the method does not appear to be sensitive, with samples of 500 cases, to either the level of homophily or the size of the network. Overall, the R^2 value for the hybrid approach is .076, meaning that little of the variation in DEs is explained by these features of the networks. Second, the measure of network size,

			Method		
Variable	Hybrid	List	Naive List	RDS	Random Walk
Homophily	0.000602	0.00208	0.0149	0.0139*	0.00761***
Add Health network	0.00192	0.00429	(c10000) —0.00768	(0.00190) -0.00190	-0.000757
	(0.00164)	(0.00306)	(0.00648)	(0.00500)	(0.00140)
ln(nodes)	0.00169***	0.00637***	0.0115***	-0.00180	-0.00127***
Average degree	(0.000-401) 1.89e-05	(0.000/70) 5.38e-06	(0.00100) 9.86e-05	0.000169**	(0.000342) 1.44e-05
0	(1.75e-05)	(3.25e-05)	(7.23e-05)	(5.31e-05)	(1.49e-05)
Y-mean degree difference	4.51e-05	9.72e-05	0.00130***	0.000767***	4.71e-05
)	(5.44e-05)	(0.000101)	(0.000211)	(0.000165)	(4.64e-05)
Constant	-0.0110**	-0.0424***	<u>-0.0645***</u>	0.00715	0.00806**
	(0.00341)	(0.00635)	(0.0143)	(0.0104)	(0.00291)
Observations	162	162	162	162	162
R ²	.241	.512	.669	.303	.238
Mean average bias	0.0037	0.0080	0.0348	0.0146	0.0043
SD average bias	0.0041	0.0094	0.0236	0.0128	0.0034
Notes: Standard errors are in parent	theses. Add Health = Nati	onal Longitudinal Study of A	vdolescent Health; RDS = r	espondent-driven sampling.	

Table 9. Ordinary Least Squares Regression Results for the Average Bias,^a Combined Add Health and Facebook Networks

a. "Average bias" refers to the absolute value of the average bias for 500 replications on all the networks (see the text for explanation):

where *bias_{ij}* is the bias (error) on the ith sample from the jth network. average bias = $\frac{1}{J} \sum_{j=1}^{J} \left| \sum_{s=0}^{soo} \frac{1}{soo} \right|$, where $\frac{1}{2}$ we have the set of the se

p < .05. *p < .01. **p < .01.

In(nodes), has a significant positive effect on the DE for the list approach, which means that the precision of the estimates declines as the network size increases. Note that the effect is not overwhelmingly large, as going from 500 nodes ($\ln[nodes] = 6.21$) to 10,000 nodes ($\ln[nodes] = 9.21$) would increase the predicted DE by 0.964 \times 3 = 2.892. Moreover, note that the problem of network size for the list approach can be solved by sampling a larger number of cases to reduce the sampling variance. However, a comparison of the results for the hybrid and list models indicates the reason the hybrid approach is superior: By using the search mode to explore the network, it increases the efficiency of the sampling process. Next, note that the naive list approach is very sensitive to network size, with a coefficient of 12.14 for $\ln(nodes)$ compared with 0.964 for the list approach.

The third key finding of Table 8 is that RDS, RW, and the naive list approaches are very sensitive to the level of homophily in the network. The coefficient on homophily for RDS is very large and significant (b = 284.1, SE = 15.16). In contrast, homophily has no effect on the hybrid and list approaches.

Table 9 presents results for the analysis of the average bias across the 162 networks of the combined results. All five of these approaches are asymptotically unbiased, in the sense that as the sample size goes to infinity, the average bias will go to zero. As discussed above, for the hybrid, list, and naive list approaches, the asymptotic unbiased behavior derives from the fact that they are sampling from the accumulated list of network members L. However, in these finite samples of 500 cases, all five methods exhibit a small amount of bias (as indicated by the second row from the bottom in Table 9). As indicated in Table 9, the size of the network affects the magnitude of the finite sample bias for the hybrid, list, and naive list approaches, while homophily and average degree are significant predictors of the bias for RDS, and homophily is for RW. Notably, average degree is not associated with bias in the NSM approaches.²⁴

5. SAMPLING DIAGNOSTICS AND CONVERGENCE TO SIMPLE RANDOM SAMPLING

Earlier in the article, we made the claim that NSM converges to SRS as the sample size increases and all individuals in the population have been nominated on the network rosters (i.e., as $L_S \rightarrow G$). In this section, we state the assumptions that are behind this claim and show how the data from an NSM sample might be used to indicate when convergence to SRS has been achieved. To be clear about what we are claiming, by "converge," we mean that once NSM has "converged" to SRS, the properties and characteristics of samples obtained by NSM would be indistinguishable from samples obtained from SRS with the same sample size. Although our work in this regard is preliminary, it is our belief that such a diagnostic would provide an immensely useful tool for researchers in practice, allowing them to understand and quantify the statistical validity of a sample collected via NSM as well as to facilitate comparisons across samples.



Figure 7. Diagnostic properties for Facebook network 10 by sample size (step)

Requirements for convergence to SRS:

- 5.1. The network is connected. Starting from any node, all individuals can be reached by following a path of connections in the network.
- 5.2. Respondents are willing to provide network data, and the quality of the network data (i.e., partial name information, basic demographics, last three digits of telephone numbers, etc.) is sufficient to uniquely identify network members.
- 5.3. The sample size reaches a point at which the number of nominated nodes in the network, L, is equal to the estimated size of the network using the capture-recapture method (\hat{G} in equation 5).
- 5.4. "Even" sampling has been used (see section 3.B), and all nominated nodes have the same cumulative sampling probability.²⁵ See step 251 of Table 2 for an example.

Figures 7 and 8 show how convergence to SRS can be identified using Facebook network 10 as an example, using NSM's hybrid approach with 500 replications and samples of 1,000 cases for each replication. Facebook network 10 has 1,092 nodes. Figure 7 shows the average bias, the proportion of cases that are sampled using the search mode, and P1 (the proportion of nominated nodes with only one nomination) by step (i.e., the number of cases in the sample). Because the search mode is used only when P1 > 0.4 (i.e., when more than 40 percent of the nominated nodes have only been nominated once), the use of the search mode drops to zero as the average value of P1 drops below 0.4 around step 100. In addition, the value of P1 declines



Figure 8. Number of nominated nodes and estimated network size by sample size (step), Facebook network

toward zero as the sample size increases, indicating that the network is being completely explored around step 600. In addition, the average bias declines very rapidly, and by step 300 it is very small, indicating that the sample estimate has become very accurate at this point.

Figure 8 shows the estimated network size (\hat{G}) and number of nominated nodes by step (L_S) in this network, along with the observed 95 percent confidence intervals for both of these measures. It is easy to see in Figure 8 that they are both converging to the true value of the population size, 1,092. When $\hat{G} = L_S$, then all the nodes in the network have been revealed, and requirement 5.3 has been satisfied. Provided requirements 5.1, 5.2, and 5.4 are also satisfied, then NSM is statistically equivalent to SRS. As discussed above, the basic intuition why this is true is that the even sampling component of the list mode (section 3.B) ensures that all people who are nominated in the survey are subject to the same CSR. Once everyone in population A has been nominated ($L_S = N$), then we have a representative sample of S cases from population A.

The benefit of Figure 8 is that it illustrates how the data collected in an NSM survey can be used as a diagnostic tool to evaluate how close the sample is to converging to SRS. One way to define an adequate stopping rule for an NSM sample would be to collect a sample size S* such that $\hat{G} = L_{S*}$.

In Figure 7, it is clear that for this particular network, a high level of accuracy is reached around step 300, as the average bias is very close to zero. In Figure 8, we see that L and \hat{G} are very close by step 300 (they differ by 7 percent), although complete convergence between L and \hat{G} is not reached until around step 600. If we define the

degree of convergence between the number of nominated cases L and the estimated population size \hat{G} as

$$q = 100 \times \frac{L}{\hat{G}},\tag{18}$$

then it may be the case that the marginal return in accuracy of going from q = 0.93 to q = 0.999 in general is very small. In future research, we plan on refining the definition of the optimal stopping point for an NSM sample on the basis of different values of q, allowing for a reasonable threshold of convergence between \hat{G} and L by testing the marginal gains in precision for a range of values of q over the 162 networks evaluated here.²⁶ Because the purpose of this section is simply to illustrate that such diagnostics are possible with NSM, we leave further refinement of these issues to future work.

6. IS IT FEASIBLE?

We envision NSM being used by two types of research projects. First, network-based sampling methods, such as RDS, are attractive when the target population is rare or hidden and there is no sampling frame available for the researcher. Second, sometimes the goal of the survey is to actually collect data about the network itself, and NSM allows the researcher to collect an accurate sample while following the links connecting people in a network together. In this section, we discuss the feasibility of collecting the network data needed to run NSM. There are three questions that must be answered to make that decision: (1) How many people can we expect individuals to nominate? (2) Can we protect confidentiality but at the same time match alters who have been nominated by multiple individuals? (3) How sensitive is the method to coding errors and other logistical problems? We consider these first two issues in depth using our experience surveying a hidden population and evidence from the literature. We then present some preliminary work on the third question.

6.1 Collecting Network Data

In the summer of 2010, we conducted a pilot study to test the feasibility of collecting network data on a difficult-to-reach population. Along with several other colleagues, we collected data on the migration network connecting a Mexican community from a medium-sized town in the state of Guanajuato to migrants from that hometown currently living in North Carolina and Houston, Texas. The resulting survey, the 2010 Network Survey of Immigration and Transnationalism (NSIT) had a sample size of 150 in North Carolina, 52 in Houston, and 407 in Guanajuato. We started the data collection with a snowball sample in North Carolina and Houston and then followed links back to Guanajuato.

We asked respondents to nominate network alters who were eligible to be in the survey and to whom they could refer us. To protect the privacy of respondents, we collected data on only the first four letters of the first name and last name of the respondent's network members, along with key social and demographic information that we could use for identification: nickname, gender, age, occupation, and number of children living in the household. To identify unique individuals in the resulting network data, we wrote a matching program in Stata that tolerates slight differences in the demographic and name variables in determining whether two network nominations (from different interviews) represent the same person. We used the Levenshtein edit distance (the number of edits needed to match two strings, cf. Reif 2010) to allow for reporting and coding errors in the first name, last name, and nickname.

The North Carolina and Houston samples asked for up to 10 friends and 5 family members currently living in the destination community in the United States, up to 6 total family and friends currently living in the origin city in Mexico, and up to 5 returned migrants currently living in the origin. Of the 150 respondents in North Carolina, the average number of network members was 21.2.²⁷ The network questions were placed at the beginning of the survey and took an average of 10 minutes to complete. All of the interviews, aside from pretests, were conducted by community members. Of the 8,538 nominations of friends and family members in the survey overall, all but 19 reported a first name, 98.96 percent reported a last name, and 94.7 percent reported age.

In addition to the data we collected in the 2010 NSIT, there is other evidence that similar amounts of network data could realistically be collected on social surveys. A reasonable question is how many alters a given ego might nominate, because the larger the number of nominations a person can give, the quicker the search mode will be able to explore the network. In general, it is clear that over a period of time, people come into contact with far more individuals than they are aware of-Boissevain (1974) and McCarty et al. (2000) estimated contact networks of between 1,500 and 2,000 people—but may be only able to remember and identify a fraction of these. Dunbar (1998) reported that people typically can only remember about 150 individuals. In a recent example of extensive network data collection, Sandberg et al. (2008) found that residents of rural Senegal named an average of 21.4 unique network alters (the interquartile range was 17-25) when asked 15 name generating questions with open-ended numbers of potential responses. Similarly, in a classic work, McCallister and Fischer (1978) found that most respondents in the Northern California Community Survey were able to name between 10 and 30 alters and the type of relation to them in 20 minutes of interview time (a pilot survey elicited an average of 20.3 names and the total survey an average of 18.5). Overall, on the basis of the results from the 2010 NSIT and other surveys that have obtained between 10 and 30 nominations per respondent, we argue that it is possible to collect enough network data to improve the accuracy of network sampling. Of course, it might not be possible for all target populations, if the actual networks are sparse, or if participants are reluctant to provide (or it is deemed unsafe to ask them to provide) information about network ties.

6.2 Can We Protect Confidentiality in Stigmatized Populations?

Our work with the NSIT provides some evidence that it is possible to match alters using a small set of demographic characteristics that are unlikely to put respondents of stigmatized populations at risk for deductive disclosure. Other ways to achieve this are being explored in the literature. Dombrowski et al. (2011) devised a method to estimate the size of hidden populations using the capture-recapture method within a respondent-driven sample. They achieved this by collecting data on respondents' appearance (approximate height, weight, hair color, eye color, gender, and race/ethnicity) as well as a transformation of the last three digits of their telephone numbers. These digits were encoded as either being even or odd and greater than or equal to five. Such a six-bit code is highly likely to be unique within a given population but at the same time is nearly impossible to trace back to an individual person. They also solicited this information about five of each respondent's friends who were eligible for inclusion in the study. By matching such data on the individuals at risk for being surveyed (by being friends with individuals who were surveyed and being eligible members of the population) to those who were actually interviewed, the authors were able to apply capture-recapture techniques and estimate the size of the total network.

Of course, not all populations of interest have mobile phones on which they can look up their acquaintances' numbers, and there is the potential that looking up such information may add considerable time to the survey. However, other encoding schemes could be devised. For instance, one could apply the same logic to the first three letters of individuals' first and last names (e.g., is it a vowel or consonant; is it at the beginning, in the middle, or at the end of the alphabet). Because we believe that the issues of respondent risk need to be weighed on a case-by-case basis, we do not have specific recommendations as to what is the best means of collecting such data, but we note that very promising approaches are being tested. On the basis of our experience with the NSIT and the evidence in the literature, we are confident that appropriate data collection strategies could be designed to maximize respondent anonymity while at the same time making network matching techniques feasible.

6.3 Test of the Effect of Network Coding Errors

How robust are the results to the possibility of coding errors in the identification of network members? First, a long literature has documented problematic evidence of recall bias and underenumeration in network measurement through self-reports (e.g., Bell, Montoya, and Atkinson 2000; Bernard and Killworth 1977; Bignami-Van Assche and Watkins 2004; Cascairo, Carley, and Krackhardt 1999; Coleman, Katz, and Menzel 1966; Eagle, Pentland, and Lazer 2009; Freeman, Romney, and Freeman 1987; Hammer 1984). It is realistic, certainly, to anticipate a certain degree of coding error in identifying network members on the basis of survey data. Nonetheless, the combination of partial name data and key demographic variables may result in a fairly high level of accuracy. In the 2010 NSIT, we looked over the data for the first 1,000 nominations with the help of community members after running the matching

program on first name, last name, nickname, age, gender, origin community, and number of children, and our assessment was that the program was working just as accurately as someone with a detailed knowledge of the community could do in assigning unique identifiers to the nominations. This degree of matching is especially heartening given the relative name similarities in the population and the cultural preference for nicknames.

Other attempts at matching network nominations to individuals in different populations have yielded similar results. Sandberg et al. (2008) tested the feasibility of augmenting a large data collection project ($N \approx 30,000$) with a social network survey that collected detailed relationship data from a sample of respondents. The innovation was that network alters would be linked to existing data records on them, circumventing the need to rely on ego reports of alter characteristics and greatly reducing the costs of network data collection. In field testing this approach, they found that approximately 88 percent of nominated alters could be uniquely identified with just five pieces of information that could reasonably be collected from respondents. This evidence further underscores the feasibility of our proposed approach.

We tested the impact of coding errors on the efficiency of NSM by used a modified algorithm that creates errors in the coding of the network data with a certain probability. Network ties that are coded in error are assigned to someone else in the currently revealed network (a sampled or unsampled, but nominated, node). We tested the impact of errors on a sample of 44 of our large university Facebook networks discussed above, using a 15 percent rate of error. Using the hybrid method with a 15 percent error rate, the average DE for these 44 networks with 500 replications of a sample size of 500 was 1.27, compared with a 1.23 average DE for the hybrid method with no errors in the coding of the network data. For the purposes of comparison, the average DE for RDS with no errors in coding on these three networks was 65.66.²⁸ Overall, these results indicate that a moderate level of error in the coding of the network data has only a minimal affect the performance of NSM. At the same time, high levels of coding error would certainly reduce the efficiency of NSM, and it is crucial that careful attention be paid to collecting partial name and demographic identifiers that will facilitate a high level of accuracy in the coding of the network data.

Before NSM is implemented in the field, other logistical considerations should also be taken into account. These issues include developing a better understanding of how nonresponse may bias results, developing protocols to ensure respondent protection, and testing the method's efficacy when list-based sampling is implemented only a small number of times, which would reduce the burden of recontacting respondents. For example, in future research, we plan on testing a variant of NSM that minimizes or eliminates the need for recontact by entering the respondent's network information directly into a computer or a smart phone during the interview, updating the network, and asking for a referral at the end of the interview itself. On the basis of the updated network data, we could use the search mode to select whom we ask for a referral to among the respondent's network roster on the basis of which node is most likely to lead to new or underexplored parts of the network. This approach would reduce the cost of conducting an NSM survey while still using the accumulated network data to make the sampling process more efficient than a conventional RW.

7. DISCUSSION AND CONCLUSION

RDS is an RW-based sampling approach that has become popular as a method of collecting data from hidden or rare populations. However, the sampling variance of RDS depends on the structure of the underlying social network (Bassetti and Diaconis 2006; Goel and Salganik 2009), which is unknown to a researcher using RDS data that consists of only the links that were followed by the sample. Recent tests using real networks indicate that the sampling variance of respondent-driven samples may be unacceptably high (Goel and Salganik 2010; Lu et al. 2012; McCreesh et al. 2012).

In this article, we propose an alternative approach, NSM, which collects network rosters as part of the survey and uses the revealed list of network members to improve the efficiency of the sampling process. NSM samples from the list of network members using two sampling modes, list and search. As discussed above, the basic innovation of the list mode is quite simple: Rather than take a randomly selected link from the current case as in RDS or an RW, in the list mode, the next node to be sampled is chosen by sampling with replacement from the complete list of all people who have been nominated in the survey. Although RDS and RWs can get stuck in segregated islands of the network, which increases the sampling variance, the list mode does not get stuck, because it draws the next case from the set of all individuals who have appeared on the network rosters. In addition, the list mode ensures that all people on the network list are sampled at the same rate by sampling newly discovered network members at the same CSR of the sample as a whole. As the survey progresses and all the members of the population are gradually added to the network list, the list mode becomes identical to the process of SRS.

As discussed above in section 3.C, the search mode is designed to speed up the process of exploring the network by giving priority to "bridge nodes" that connect the edges of the currently explored network to underexplored areas of the network. The hybrid approach that we test in the simulated sampling combines the list and search modes, using the search mode initially and then defaulting to the list mode once the network has been explored.

We test the relative performance of NSM versus RDS, RW, and SRS by conducting simulated sampling on 162 observed social networks from Add Health and Facebook. The advantage of testing the performance of the methods on so many different networks is that we can be more confident that the results are not due to the idiosyncrasies of any particular network. The networks ranged in size from 110 to 16,278 nodes, with different levels of homophily and mean degree. Moreover, because these are real social networks, they will exhibit the kinds of complex network structures that artificial test networks may not have. Overall, as discussed above, our results indicated that NSM's hybrid and list approaches had lower DEs than RDS or RW on all 162 of the Add Health and Facebook networks, based on drawing 500 samples of 500 cases each from each network. In particular, the hybrid approach resulted in a 98.5 percent reduction in the average DE compared with RDS (1.16 vs. 77.4).

Although in all of our tests, NSM is a more efficient method of sampling from a social network than RDS, there is an added cost, which is the time and effort needed to collect network data as well as recontact respondents to get referrals to previously nominated cases.²⁹ As discussed above in section 6, we conducted a pilot study on collecting network data from a hidden population-immigrants in North Carolina from a specific origin community in Mexico-and averaged 21.4 links per respondent in North Carolina, obtaining almost universal responses on the first four letters of the first and last names and the ages of the members of respondents' networks. This indicates that it is feasible to collect the level of network data needed to achieve the gains in accuracy we present in this article. At the same time, it is important to emphasize that we do not anticipate that NSM will be applicable for every situation. Nonetheless, researchers are devising innovative ways to collect this type of data in even highly stigmatized populations (Dombrowski et al. 2011). Indeed, Dombrowski et al. (2011) demonstrated that individuals' network alters could be uniquely identified for the purposes of capture-recapture methods while maintaining respondent confidentiality in exactly the type of population in which RDS was designed to be implemented.

Even if the added difficulty of collecting network data means that NSM is not universally applicable for all types of hidden or difficult to reach populations, we believe there are two reasons it represents an important addition to the literature on sampling from networks. First, if researchers can collect network data as part of their survey, our results indicate large potential gains in sampling efficiency: Simply put, it takes far fewer cases for NSM to reach a given level of precision compared with RDS. Recognition of the trade-off between the cost and precision of the survey is important even if a research project elects to use RDS or a conventional link-tracing survey design. Second, on a theoretical level, NSM provides a clear example of how gains in accuracy can result from a simple modification of the sampling algorithm compared with an RW-based approach. We seek to bridge the recent literature in mathematics and computer science on sampling large Internet-based networks with the social science literature on sampling hidden or rare populations on the basis of faceto-face or telephone interviews. Although there is a fundamental difference in the cost of conducting an interview (trivial for an Internet-based network and high for a face-to-face interview), there is likely to be considerable synergy and convergence between these two literatures in the future. In this light, we see NSM as a first step in demonstrating how collecting network data can improve the accuracy of sampling from networks.

In particular, we anticipate several avenues of future research. First, it is possible that with computer-assisted interviews (i.e., inputting the network data directly during the interview) the interviewer might be able to solicit referrals to newly identified nodes of the network at the conclusion of each interview, thereby reducing the frequency with which respondents would need to be recontacted to get a referral to the next person to interview. Second, we plan to explore whether it is possible to use resampling methods to infer the sampling variance of the resulting NSM sample. The idea would be to predict the ties from unsampled but nominated nodes using a statistical model of the network and then repeatedly resample the data from the predicted network to calculate bootstrap standard errors. Third, we intend to assess how the accumulated network data could be used to develop in an optimal stopping rule regarding the sample size required to reach a certain degree of sampling precision.

Overall, in the current article, we have presented an alternative method for sampling from network-based populations that is both transparent in terms of its underlying mechanism and, in all of our tests, considerably more accurate than the methods currently in use. Indeed, in the results presented in Figures 3, 5, and 6, we found that a roughly equivalent level of sampling precision was achieved with 75 cases sampled using our proposed method as could be found with 500 to 1,000 cases using the currently dominant approach. Furthermore, we have offered first steps toward quantifying the extent of NSM's results' convergence to SRS, diagnostics that are currently unavailable or inadequate (cf. Neely 2009; Wejnert 2009) in the network sampling literature to date. Although our proposed method would constitute an increased logistical burden for researchers as well as other potential trade-offs, we believe it presents considerable promise. Rather than an end point, we view this as a call for future advances in improving the efficiency and precision of sampling from networks using survey data on the revealed network of the target population.

Declaration of Conflicting Interests

The authors declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

Funding

The authors disclosed receipt of the following financial support for the research and/or authorship of this article: The authors are grateful for the support provided by the Carolina Population Center of the University of North Carolina, Chapel Hill to both Mouw and Verdery that aided this research. This paper uses data from Add Health, a program project designed by J. Richard Udry, Peter S. Bearman, and Kathleen Mullan Harris, and funded by a grant P01-HD31921 from the National Institute of Child Health and Human Development, with cooperative funding from 17 other agencies.

Notes

- 1. For simplicity of writing, we occasionally refer to sampling from a social network as "network sampling" in this article. When we do this, we mean sampling from a social network, not the large body of work dedicated to making inferences about social network structures from more limited data (e.g., Potter et al. 2011).
- 2. This discussion offers some intuition about RDS's efficacy as it is used in practice (when its assumptions are not always met; Gile and Handcock 2010). The fact that RDS is conducted without replacement adds an element of memory to the RW process, which, on the basis of these results, would suggest that it may prove more efficient in without-

replacement practice than with-replacement theory (although see Gile 2011). Additionally, the fact that RDS in practice starts from multiple seed individuals may also improve its efficiency, as per Ribeiro and Towsley (2010).

- In our proposed approach, sampling with replacement is achieved by keeping track of how many times individuals are sampled and using this as a weight. No repeat interviews are actually conducted.
- 4. Multiple seeds can be used; in general, this is most effective if they are from different parts of the network.
- 5. L also includes the initial seed respondent(s).
- 6. One way to resolve this is to not turn on even sampling until P1 (the proportion of nominated nodes that have only one nomination) is less than 0.4, which ensures that large networks are explored before even sampling is turned on. See equation 5 for a discussion of estimating the network size using P1.
- 7. This is because, at the start of even sampling, all nodes that have already been nominated will have CSR > ESR. Using the 100 nodes with the lowest CSR is a way to gradually "wean" the sample away from nodes with high CSRs.
- 8. The reason for this is that after the start of even sampling, nodes 1 and 301 were not eligible for sampling again until their CSR was less than or equal to the current ESR, as described in section 3.B.1. Thus, they will be within the sampling rate of one step of the ESR.
- 9. In the calculation of P1, any node that has been sampled is counted as a node that has more than one nomination.
- 10. This can be seen by looking at the effect of network size (natural log of nodes) on the design effect for the list mode in Table 8.
- 11. NSM's search mode skips to other parts of the network on the basis of a probabilistic model of where the bridge nodes are most likely to be. In contrast, breadth-first search explores all of the nodes neighboring the currently sampled node before moving down the chain, while depth-first search moves down the chain of connections as fast as possible before visiting nodes that have already been nominated.
- 12. A simpler method is just to choose among the nodes with the highest vales of p_{1_j} , but this gives an advantage to nodes with low degree, because it is easier to obtain higher values of p_{1_j} just by chance. In addition, for simplicity, we ignore the probability that j is sampled conditional on being nominated, because this will be the same for all nominated nodes after the initiation of even sampling, and the goal in equation 7 is a relative measure of the likelihood of a bridge node.
- 13. We also tried choosing among the top 2 and top 10 bridge nodes, and both of these alternatives seemed to work equally well. In addition, to ensure that these really are what we mean by "bridge nodes," only nodes with $p_{1j} \ge 0.4$ are eligible for consideration in equation 7.
- 14. We weight both the RW and RDS results by their inverse degree. For the binary outcomes we consider here (Y), we calculate the estimated proportion of Y = 1 in our RWs

as $\hat{p}_{rw}(Y=1) = \frac{\sum_{j}^{s} y_{j}/d_{j}}{\sum_{j}^{s} 1/d_{j}}$, where y_{j} is the value of variable y for individual j (either 0 or 1),

 d_j is individual j's degree, and S is the number of sampled cases. Some have called an RW weighted in this fashion a reweighted RW (cf. Gjoka et al. 2010). This estimator is the RDS2 estimator in current use, so we also apply it to our respondent-driven samples.

- 15. RW approaches have not been implemented in the field to our knowledge, but even if they were, it is a challenge to imagine that they would be conducted with replacement in a human population.
- 16. Goel and Salganik (2009) also considered how DEs varied across high schools and high school-middle school combinations and found no substantive differences. As such, we do not distinguish these types of schools in our analysis; however, we do examine how biases vary across different observed parameters of these networks.
- 17. We decided to omit schools with supermajorities by race, because these cases were extremely problematic for RDS. This is in line with Wejnert's (2009) findings that very small or very large proportions pose particular challenges for RDS.
- 18. By "random assignment," we mean the number of cross-group friends if each person's friends were assigned randomly to different groups. For example, in a school that is 80 percent white and 20 percent nonwhite, 20 percent of white students' friends would be nonwhite and 80 percent of nonwhite students' friends would be white.
- 19. In addition, we note that the average finite-sample bias in column 2 of Table 6 is comparable with the average bias reported in column 1, provided we take the fact that the global mean of the dependent in column 2 variable (mean degree in the school) is about 10 times larger than the global mean of proportion white.
- 20. In the year after these data were captured, Facebook expanded to allow access to nonuniversity students.
- 21. To ensure that the truncated networks are connected, we arrange the nodes sequentially by class year (freshman vs. nonfreshman) in a single line running from 1 to G and assign each node ties to their immediate neighbor in front and behind them. These are included in each instantiation of the network and are counted toward the friendship totals for each node. This procedure has little effect on the overall structure of the network, however, as the untruncated networks are highly connected.
- 22. Using the full network data, the average DEs for RDS and RW were 78.7 and 16.65, respectively.
- 23. We use the results for proportion white as the dependent variable for the Add Health data.
- 24. Overall, when evaluating these results, note that we have chosen two dependent variables (percentage nonwhite and percentage first-year students) for which there are high levels of homophily and clustering. The DE for RDS would be lower if we had chosen networks with lower levels of clustering or different dependent variables. In practice, of course, the researcher will not know how clustered the network of the target population is, and the goal here has been to test NSM on networks that are difficult for network-based sampling algorithms.
- 25. Note that the use of sampling weights (equations 9 and 10) adjusts for unequal sampling rates among nodes prior to convergence to SRS.
- 26. In general, we also note that we observed a very high level of accuracy for the predicted population size \hat{G} using the capture-recapture method on all of the 162 networks that we tested.
- 27. In the Mexico sample, we asked for data on up to 6 friends and 6 relatives currently living in Guanajuato and up to 6 friends and family members living in North Carolina and Houston. The overall average degree was 14.13.
- 28. The average finite sample bias was .0057, compared with .0036 for the hybrid approaches with and without the 15 percent error rate with the truncated data (maximum degree of 20), compared with .297 and .0118 for RDS with the truncated and full network data.

29. Recontacting participants may not be feasible in some hidden populations. See the final paragraph of section 6 for a discussion of a future variant of NSM that would eliminate recontact with respondents.

References

- Abdul-Quader, A. S., D. D. Heckathorn, K. Sabin, and T. Saidel. 2006. "Implementation and Analysis of Respondent-driven Sampling: Lessons Learned from the Field." *Journal of Urban Health: Bulletin of the New York Academy of Medicine* 83(7):i1–i5.
- Alon, N., C. Avin, M. Koucky, G. Kozma, Z. Lotker, and M. R. Tuttle. 2008. "Many Random Walks Are Faster Than One." Pp. 119–28 in *Proceedings of the Twentieth Annual Symposium on Parallelism in Algorithms and Architectures*. New York: Association for Computing Machinery.
- Alon, N., I. Benjamini, E. Lubetzky, and S. Sodin. 2007. "Nonbacktracking Random Walks Mix Faster." Communications in Contemporary Mathematics 9:585–603.
- Atrostic, B. K., Nancy Bates, Geraldine Burt, and Adriana Silberstein. 2001. "Nonresponse in U.S. Government Household Surveys: Consistent Measures, Recent Trends and New Insights." *Journal of Official Statistics* 17(2):209–26.
- Avin, C. and B. Krishnamachari. 2008. "The Power of Choice in Random Walks: An Empirical Study." *Computer Networks* 52(1):44–60.
- Avrachenkov, K., B. Ribeiro, and D. Towsley. 2010. "Improving Random Walk Estimation Accuracy with Uniform Restarts." Technical Report No. 7394. Sophia Antipolis, France: Institut National de Recherche en Informatique et en Automatique.
- Bassetti, F. and P. Diaconis. 2006. "Examples Comparing Importance Sampling and the Metropolis Algorithm." *Illinois Journal of Mathematics* 50(1–4):67–91.
- Bell, D. C., I. D. Montoya, and J. S. Atkinson. 2000. "Partner Concordance in Reports of Joint Risk Behaviors." *Journal of Acquired Immune Deficiency Syndromes* 25:173–81.
- Berenbrink, P., C. Cooper, R. Elsasser, T. Radzik, and T. Sauerwald. 2010. "Speeding Up Random Walks with Neighborhood Exploration." Pp. 1422–35 in *Proceedings of the Twenty-first Annual ACM-SIAM Symposium on Discrete Algorithms*. Philadelphia, PA: Society for Industrial and Applied Mathematics.
- Bernard, H. R. and P. D. Killworth. 1977. "Informant Accuracy in Social Network Data II." *Human Communications Research* 4:3–18.
- Bignami-Van Assche, S. and S. C. Watkins. 2004. "Husband-wife Disagreement in Rural Malawi: A Longitudinal Analysis." Paper presented at the annual meeting of the Population Association of America, April, Boston.
- Boissevain, J. 1974. Friends of Friends. Oxford, UK: Blackwell.
- Boyd, D. M. and N. Ellison. 2008. "Social Network Sites: Definition, History, and Scholarship." Journal of Computer-mediated Communication 13(1):210–30.
- Brin, S. and Page, L. 1998. "The Anatomy of a Large-scale Hypertextual Web Search Engine." Paper presented at the Seventh International World-wide Web Conference (WWW 1998), April 14–18, Brisbane, Australia.
- Burt, R. S. 1984. "Network Items and the General Social Survey." Social Networks 6:293-339.
- Burt, Ronald S. 1995. *Structural Holes: The Structure of Competition*. Cambridge, MA: Harvard University Press.
- Cascairo, T., K. M. Carley, and D. Krackhardt. 1999. "Positive Affectivity and Accuracy in Social Network Perception." *Motivation and Emotion* 23:285–306.

- Clouston, S. P., A. M. Verdery, S. Amin, and G. R. Gauthier. 2009. "The Structure of Undergraduate Association Networks: A Quantitative Ethnography." *Connections* 29(2):18–31.
- Coleman, J. S., E. Katz, and H. Menzel. 1966. *Medical Innovation: A Diffusion Study*. Indianapolis, IN: Bobbs-Merrill.
- Cooper, C., A. Frieze, and T. Radzik. 2009. "Multiple Random Walks and Interacting Particle Systems." *Lecture Notes in Computer Science* 5556:399–410.
- Dombrowski, K., B. Khan, T. Wendel, K. McLean, R. Curtis, and E. Drucker. 2011. "Estimating the Size of the Methamphetamine-using Population in New York City Using Network Sampling Techniques." Working Paper, City University of New York.
- Dunbar, R. I. M. 1998. "The Social Brain Hypothesis." Evolutionary Anthropology: Issues, News, and Reviews 6(5):178–90.
- Eagle, N. A. S. Pentland, and D. Lazer. 2009. "Inferring Friendship Network Structure by Using Mobile Phone Data." *Proceedings of the National Academy of Sciences* 106(36):15274–78.
- Elasser, R. and T. Sauerwald. 2010. "Tight Bounds for the Cover Time of Multiple Random Walks." *Theoretical Computer Science* 412(24):2623–41.
- Ellison, N., C. Steinfield, and C. Lampe. 2006. "Spatially Bounded Online Social Networks and Social Capital." Pp. 1-37 in *Proceedings of the Annual Conference of the International Communication Association.*
- Freeman, L. C., A. K. Romney, and S. C. Freeman. 1987. "Cognitive Structure and Informant Accuracy." American Anthropologist 89:310–25.
- Gasieniec, L. and T. Radzik. 2008. "Memory Efficient Anonymous Graph Exploration." *Lecture Notes in Computer Science* 5344:14–29.
- Gile, K. J. and M. S. Handcock. 2010. "Respondent-driven Sampling: An Assessment of Current Methodology." Sociological Methodology 40:285–327.
- Gile, Krista J. 2011. "Improved Inference for Respondent-driven Sampling Data with Application to HIV Prevalence Estimation." *Journal of the American Statistical Association* 106(493):135–46.
- Gjoka, M., M. Kurant, C. Butts, and A. Markopoulou. 2010. "A Walk in Facebook: A Case Study of Unbiased Sampling of Facebook." Paper presented at IEEE INFOCOM 2010.
- Goel, Sharad and Matthew J. Salganik. 2009. "Respondent-driven Sampling as Markov Chain Monte Carlo." *Statistics in Medicine* 28:2202–29.
- Goel, Sharad and Matthew J. Salganik. 2010. "Assessing Respondent-driven Sampling." Proceedings of the National Academy of Sciences 107:6743–47.
- Goodman, L. A. 1961. "Snowball Sampling." Annals of Mathematical Statistics 32:148-70.
- Gross, R. and A. Acquisti. 2005. "Information Revelation and Privacy in Online Social Networks." Pp. 71–80 in *Proceedings of WPES '05*. Alexandria, VA: Association for Computing Machinery.
- Groves, R. M., F. J. Fowler Jr., M. P. Couper, J. M. Lepkowski, E. Singer, and R. Tourangeau. (2009). *Survey Methodology*. New York: John Wiley.
- Hammer, M. 1984. "Explorations into the Meaning of Social Network Interview Data." Social Networks 6:341–71.
- Haythornthwaite, C. 2005. "Social Networks and Internet Connectivity Effects." Information, Communication, & Society 8(2):125–47.
- Heckathorn, D. D. 1997. "Respondent-driven Sampling: A New Approach to the Study of Hidden Populations." Social Problems 44:174–99.

- Heckathorn, D. D. 2002. "Respondent-driven Sampling II: Deriving Valid Population Estimates from Chain-referral Samples of Hidden Populations." *Social Problems* 49:11–34.
- Heckathorn, D. D. 2007. "Extensions of Respondent-driven Sampling: Analyzing Continuous Variables and Controlling for Differential Recruitment." Sociological Methodology 49:11–34.
- Ikeda, S., I. Kubo, N. Okumoto, and M. Yamashita. 2003. "Impact of Local Topological Information on Random Walks on Finite Graphs." *Lecture Notes in Computer Science* 2719:1054–67.
- Ikeda, S., I. Kubo, and M. Yamashita. 2009. "The Hitting and Cover Times of Random Walks on Finite Graphs Using Local Degree Information." *Theoretical Computer Science* 410:94– 100.
- Johnston, L. G. 2008. *Behavioural Surveillance: Introduction to Respondent Driven Sampling* (*Participant Manual*). Atlanta, GA: Centers for Disease Control and Prevention.
- Johnston, L. G., K. Sabin, M. T. Hien, and P. T. Huong. 2006. "Assessment of Respondentdriven Sampling for Recruiting Female Sex Workers in Two Vietnamese Cities: Reaching the Unseen Sex Worker." Journal of Urban Health 83:16–28.
- Kendall, D., L.R.F. Kerr, R. C. Gondim, G. L. Warneck, R.H.M. Macena, M. K. Pontes, L. G. Johnston, K. Sabin, and W. McFarland. 2008. "An Empirical Comparison of Respondentdriven Sampling, Time Location Sampling, and Snowball Sampling for Behavioral Surveillance in Men Who Have Sex with Men, Fortaleza, Brazil." *AIDS and Behavior* 12(1):97–104.
- Kharusi, F. A. 2008. "Experiments with Forward Random Walks." Technical Report 08-1. London, UK: King's College London, Department of Computer Science.
- Lampe, C., N. Ellison, and C. Steinfeld. 2007. "A Familiar Face(book): Profile Elements as Signals in an Online Social Network." Pp. 435–44 in Proceedings of Conference on Human Factors in Computing Systems. New York: ACM Press.
- Lawler, Gregory F. and Lester N. Coyle. 1999. *Lectures on Contemporary Probability*. Providence, RI: American Mathematical Society.
- Lewis, Kevin, Jason Kaufman, Marco Gonzalez, Andreas Wimmer, and Nicholas Christakis. 2008. "Tastes, Ties, and Time: A New Social Network Dataset Using Facebook.com." *Social Networks* 30:330–42.
- Lovasz, L. 1993. "Random Walks on Graphs: A Survey." Combinatorics 2:1-46.
- Lu X., L. Bengtsson, T. Britton, M. Camitz, B. J. Kim, A. Thorson, and F. Liljeros. 2012. "The Sensitivity of Respondent-driven Sampling." *Journal of the Royal Statistical Society: Series A Statistics in Society* 175:191–216.
- Ma, X., Q. Zhang, X. He, H. Yue, S. Chen, H. F. Raymond, Y. Li, M. Xu, H. Du, and W. McFarland. 2007. "Trends in Prevalence of HIV, Syphilis, Hepatitis C, Hepatitis B, and Sexual Risk Behavior among Men Who Have Sex with Men: Results of 3 Consecutive Respondent-driven Sampling Surveys in Beijing, 2004-2006." *Journal of Acquired Immune Deficiency Syndrome* 45(5):581–87.
- Magnani, R., K. Sabin, T. Saidel, and D. D. Heckathorn. 2005. "Review of Sampling Hard-toreach and Hidden Populations for HIV Surveillance." *AIDS* 19:S67–72.
- Malekinejad, M., L. G. Johnston, C. Kendall, L.R.F.S. Kerr, M. R. Rifkin, and G. W. Rutherford. 2008. "Using Respondent-driven Sampling Methodology for HIV Biological and Behavioral Surveillance in International Settings: A Systematic Review." *AIDS and Behavior* 12:S105–30.
- McCallister, L. and C. S. Fischer. 1978. "A Procedure for Surveying Personal Networks." Sociological Methods and Research 7:131–48.

- McCarty, C., P. D. Killworth, H. R. Bernard, E. C. Johnsen, and G. A. Shelley. 2000. "Comparing Two Methods for Estimating Network Size." *Human Organization* 60(1):28–39.
- McCreesh, N., S. Frost, J. Seeley, J. Seelev, J. Katongole, M. N. Tarsh, R. Ndunguse, F. Jichi, N. L. Lunel, D. Maher, L. G. Johnston, P. Sonnenberg, A. J. Copas, R. J. Hayes, and R. G. White. 2012. "Evaluation of Respondent-driven Sampling." *Epidemiology* 23:138–47.
- McKnight, C., D. D. Jarles, H. Bramson, L. Tower, A. S. Abdul-Quader, C. Nemeth, and D. D. Heckathorn. 2006. "Respondent-driven Sampling in a Study of Drug Users in New York City: Notes from the Field." *Journal of Urban Health* 83:54–59.
- National Institutes of Health. 2011. "Project Reporter." Retrieved December 15, 2011 (http:// projectreporter.nih.gov/reporter.cfm).
- Neely, William Whipple. 2009. "Statistical Theory for Respondent Driven Sampling." PhD Dissertation, University of Wisconsin–Madison.
- Potter, Gail E., Mark S. Handcock, Ira M. Longini Jr., and M. Elizabeth Halloran. 2011. "Estimating Within-household Contact Networks from Egocentric Data." *Annals of Applied Statistics* 5(3):1816–38.
- Ramirez-Valles, J., D. D. Heckathorn, R. Vazquez, R. M. Diaz, and R. T. Campbell. 2005. "The Fit between Theory and Data in Respondent-driven Sampling: Response to Heimer." *AIDS and Behavior* 9:409–14.
- Reif, Julian. 2010. "STRGROUP: Stata Module to Match Strings Based on Their Levenshtein Edit Distance." Statistical Software Components S457151, Boston College Department of Economics, Revised August 14, 2010.
- Ribeiro, B. and D. Towsley. 2010. "Estimating and Sampling Graphs with Multidimensional Random Walks." Paper presented at ACM SIGCOMM Internet Measurement Conference.
- Ribeiro, B., P. Wang, and D. Towsley. 2010. "On Estimating Degree Distributions of Directed Graphs through Sampling." University of Massachusetts CMPSCI Technical Report UM-CS-2010-046.
- Salganik, Matthew J. and Douglas D. Heckathorn. 2004. "Sampling and Estimation in Hidden Populations Using Respondent-driven Sampling." Sociological Methodology 34:193–239.
- Sandberg, J., S. Rytina, R. Lalou, and V. Delaunay. 2008. "Social Networks across the Lifecourse and the Development of the Niakhar Social Networks Survey Instrument." Paper presented at the annual meeting of the Population Association of America, New Orleans, LA.
- Thompson, S. K. 2006. "Targeted Random Walk Designs." Survey Methodology 32:11-24.
- Traud, A. L., E. D. Kelsic, P. J. Mucha, and M. A. Porter. 2010. "Comparing Community Structure to Characteristics in Online Collegiate Social Networks." SIAM Review 53(3):526–43.
- Traud, A. L., P. M. Mucha, and M. A. Porter. 2010. "Social Structure of Facebook Networks." Working Paper, University of North Carolina at Chapel Hill, Department of Mathematics.
- Volz, Erik and Douglas D. Heckathorn. 2008. "Probability-based Estimation Theory for Respondent-driven Sampling." *Journal of Official Statistics* 24:79–97.
- Wejnert, C. 2009. "An Empirical Test of Respondent-driven Sampling: Point Estimates, Variance, Degree Measures, and Out-of-equilibrium Data." Sociological Methodology 39(1):73–116.
- Wejnert, Cyprian and Douglas D. Heckathorn. 2008. "Web-based Network Sampling." Sociological Methods and Research 37(1):105–34.

- Wimmer, Andreas and Kevin Lewis. 2010. "Beyond and below Racial Homophily: ERG Models of a Friendship Network Documented on Facebook." *American Journal of Sociology* 116(2):583–642.
- Yeka, William, Geraldine Maibani-Michie, Dimitri Prybylski, and Donn Colby. 2006. "Application of Respondent Driven Sampling to Collect Baseline Data on FSWs and MSM for HIV Risk Reduction Interventions in Two Urban Centres in Papua New Guinea." *Journal of Urban Health* 83(1):60–72.
- Yu, I. and R. Newman. 2008. "A Topology-aware Random Walk." Working Paper, Department of CISE, University of Florida, Gainesville.

Bios

Ted Mouw is a sociologist at the University of North Carolina, Chapel Hill. His research interests are labor markets, social stratification, and immigration. His current research includes a project on the collection of social network data on immigration from origin and destination communities in Mexico and the United States and a project on the skill complementarity between immigrants and native workers using a large longitudinal data set from the Longitudinal Employer Household Data (LEHD).

Ashton M. Verdery is a doctoral candidate in the Department of Sociology at the University of North Carolina at Chapel Hill. His research focuses on social networks, quantitative methods, and demography. His papers have been published in journals such as *Social Networks* and the *Annals of the Association of American Geographers*.